

---

# Contents

---

<b>Preface</b>	<b>xiii</b>
<b>1 Embedded control systems</b>	<b>1</b>
1.1 Introduction	1
1.2 Structure and elements of embedded control systems	2
1.2.1 Typical block diagram	2
1.2.2 A/D and D/A conversion	4
1.2.3 Sensors	5
1.2.4 Actuators	6
1.2.5 Processors	7
1.2.6 Software	8
1.3 Sampling and aliasing	10
1.4 Fixed-point arithmetic	12
1.4.1 Fixed-point numbers	12
1.4.2 Scaling	15
1.4.3 Range and precision	18
1.4.4 Fixed-point arithmetic operations	19
1.5 Floating-point arithmetic	22
1.5.1 Floating-point numbers	22
1.5.2 IEEE arithmetic	23
1.5.3 Floating-point arithmetic operations	25
1.6 Quantization effects	25
1.6.1 Truncation and roundoff	25
1.6.2 Quantization errors in A/D conversion	28
1.7 Design stages	29
1.7.1 Controller design	32
1.7.2 Closed-loop system simulation	34
1.7.3 Embedded code generation	36
1.8 Hardware configuration	36
1.8.1 Microprocessing architectures	37
1.8.2 Hardware description language	41
1.8.3 Module level development	44
1.8.4 System level development	48
1.9 Software configuration	54
1.9.1 Board support package	54
1.9.2 Application programming interface	56

1.9.3	Code generation	56
1.9.4	Code validation	60
1.10	Notes and references	61
<b>2</b>	<b>System modeling</b>	<b>63</b>
2.1	Plant modeling	63
2.2	Linearization	66
2.2.1	Analytic linearization	66
2.2.2	Symbolic linearization	68
2.2.3	Numeric linearization	71
2.3	Discretization	71
2.3.1	Discrete-time models	73
2.3.2	Discrete-time frequency responses	74
2.3.3	Discretization of continuous-time models	76
2.3.4	Discretization of time delay systems	80
2.3.5	Choice of the sampling period	81
2.3.6	Discretization of nonlinear models	82
2.4	Stochastic modeling	84
2.4.1	Stochastic linear systems	84
2.4.2	Discretization of stochastic models	86
2.4.3	Optimal estimation	88
2.5	Plant identification	91
2.5.1	Identification of black box model	92
2.5.2	Identification of gray-box model	102
2.6	Uncertainty modeling	111
2.6.1	Structured uncertainty models	111
2.6.2	Representing uncertain models by LFT	117
2.6.3	Deriving uncertain state-space models from Simulink® models	119
2.6.4	Unstructured uncertainty models	120
2.6.5	Mixed uncertainty models	124
2.6.6	Discretization of uncertain models	125
2.6.7	Deriving uncertainty models by identification	128
2.7	Sensor modeling	131
2.7.1	Allan variance	132
2.7.2	Stochastic gyro model	133
2.7.3	Stochastic accelerometer model	138
2.7.4	Sensor data filtering	142
2.8	Notes and references	145
<b>3</b>	<b>Performance requirements and design limitations</b>	<b>147</b>
3.1	SISO closed-loop systems	147
3.2	Performance specifications of SISO systems	151
3.2.1	Time-domain specifications	151
3.2.2	Frequency-domain specifications	152

3.3	Trade-offs in the design of SISO systems	155
3.3.1	Limitations on $S$ and $T$	155
3.3.2	Right half-plane poles and zeros	156
3.3.3	Limitations imposed by time delays	158
3.3.4	Limitations imposed by measurement noise	159
3.3.5	Limitations, imposed by disturbances	160
3.3.6	Limitations on control action	160
3.3.7	Limitations due to model errors	161
3.4	MIMO closed-loop systems	168
3.5	Performance specifications of MIMO systems	171
3.5.1	Using singular values for performance analysis	171
3.5.2	$\mathcal{H}_\infty$ Norm of a system	174
3.5.3	Hankel norm	176
3.6	Trade-offs in the design of MIMO systems	176
3.6.1	Disturbance rejection	177
3.6.2	Noise suppression	178
3.6.3	Model errors	178
3.7	Uncertain systems	180
3.8	Robust-stability analysis	182
3.8.1	Unstructured uncertainty	183
3.8.2	Structured singular value	183
3.8.3	Robust-stability analysis with $\mu$	185
3.9	Robust performance analysis	188
3.9.1	Using $\mu$ for robust performance analysis	189
3.9.2	Worst case gain	194
3.9.3	Worst case margin	196
3.10	Numerical issues in robustness analysis	197
3.11	Notes and references	201
<b>4</b>	<b>Controller design</b>	<b>203</b>
4.1	PID controller	204
4.2	LQG controller with integral action	219
4.2.1	Discrete-time LQG controller	220
4.2.2	Colored measurement noise	223
4.2.3	LQG controller with bias compensation	233
4.3	LQ regulator with $\mathcal{H}_\infty$ filter	240
4.3.1	Discrete-time $\mathcal{H}_\infty$ filter	241
4.3.2	$\mathcal{H}_\infty$ Filter with bias compensation	247
4.4	$\mathcal{H}_\infty$ Design	252
4.4.1	The $\mathcal{H}_\infty$ design problem	252
4.4.2	Mixed-sensitivity $\mathcal{H}_\infty$ control	258
4.4.3	Two degrees-of-freedom controllers	261
4.4.4	Numerical issues in $\mathcal{H}_\infty$ design	263
4.5	$\mu$ Synthesis	272
4.5.1	The $\mu$ synthesis problem	273

x	<i>Design of embedded robust control systems using MATLAB®/Simulink®</i>	
	4.5.2 Replacing $\mu$ with its upper bound	274
	4.5.3 DK iteration	276
	4.5.4 Numerical issues in $\mu$ synthesis	278
	4.6 Controller comparison	287
	4.7 HIL simulation	288
	4.8 Notes and references	294
<b>5</b>	<b>Case study 1: embedded control of tank physical model</b>	<b>299</b>
	5.1 Hardware configuration of embedded control system	300
	5.1.1 Water tank	301
	5.1.2 ARDUINO MEGA 2560	301
	5.1.3 Voltage divider	303
	5.1.4 Relay block	305
	5.2 Plant identification	305
	5.3 LQR and LQG controllers design	314
	5.4 $\mathcal{H}_\infty$ Controller design	319
	5.5 Experimental evaluation	324
	5.6 Notes and references	333
<b>6</b>	<b>Case study 2: robust control of miniature helicopter</b>	<b>335</b>
	6.1 Helicopter model	336
	6.1.1 Nonlinear helicopter model	336
	6.1.2 Linearized model	341
	6.1.3 Uncertain model	346
	6.2 $\mu$ Synthesis of attitude controller	348
	6.2.1 Performance requirements	349
	6.2.2 Controller design	353
	6.2.3 Frequency responses	356
	6.2.4 Transient responses of the linear system	362
	6.2.5 Position controller design	362
	6.3 Hardware-in-the-loop simulation	365
	6.3.1 Nonlinear system simulation	366
	6.3.2 HIL simulation setup	367
	6.3.3 Results of HIL simulation	369
	6.4 Notes and references	376
<b>7</b>	<b>Case study 3: robust control of two-wheeled robot</b>	<b>377</b>
	7.1 Robot description	378
	7.2 Closed-loop identification of robot model	380
	7.2.1 Dynamic models from $u$ to $\dot{\phi}$	385
	7.2.2 Dynamic models from $\dot{\phi}$ to $\dot{\theta}$	389
	7.2.3 Dynamic model of the yaw motion	391

7.3	Derivation of uncertain models	395
7.3.1	Signal-based uncertainty representation	395
7.3.2	Input multiplicative uncertainty representation	395
7.4	LQG controller design	399
7.5	$\mu$ Controller design	404
7.6	Comparison of designed controllers	407
7.7	Experimental evaluation	410
7.8	Notes and references	416
<b>Appendix A: Elements of matrix analysis</b>		<b>419</b>
A.1	Vectors and matrices	419
A.2	Eigenvalues and eigenvectors	420
A.3	Singular value decomposition	421
A.4	Vector and matrix norms	423
A.4.1	Vector norms	423
A.4.2	Matrix norms	424
A.4.3	Relationships between matrix norms	426
A.5	Notes and references	427
<b>Appendix B: Elements of linear system theory</b>		<b>429</b>
B.1	Description	429
B.2	Stability	430
B.3	Controllability and observability	430
B.4	Lyapunov equations	433
B.5	Poles and zeros	435
B.6	Notes and references	436
<b>Appendix C: Stochastic processes</b>		<b>437</b>
C.1	Random variables	437
C.2	Stochastic processes	439
C.3	White noise	443
C.4	Gauss–Markov processes	444
C.5	Generation of white noise in MATLAB <sup>®</sup>	446
C.6	Notes and references	447
<b>Appendix D: Identification of linear models</b>		<b>449</b>
D.1	Identification of linear black-box model	449
D.1.1	Experiment design and input/output data acquisition	450
D.1.2	Model structure selection and parameters estimation	455
D.1.3	Model validation	468
D.2	Identification of linear gray-box model	472
D.3	Notes and references	472

<b>Appendix E: Interfacing IMU with target microcontroller</b>	<b>473</b>
E.1 Driving SPI communication	474
E.2 Design of Simulink® interface block	476
<b>Appendix F: Measuring angular velocity with hall encoder</b>	<b>481</b>
<b>References</b>	<b>487</b>
<b>Index</b>	<b>503</b>