

---

# Contents

---

<b>Preface</b>	<b>xiii</b>
<b>1 Brain–computer interfaces and electroencephalogram: basics and practical issues</b>	<b>1</b>
<i>Mahnaz Arvaneh and Toshihisa Tanaka</i>	
Abstract	1
1.1 Introduction	1
1.2 Core components of a BMI system	2
1.3 Signal acquisition	3
1.3.1 Electroencephalography	4
1.3.2 Positron emission tomography	4
1.3.3 Magnetoencephalography	4
1.3.4 Functional magnetic resonance imaging	4
1.3.5 Near-infrared spectroscopy	5
1.3.6 Commonly used method in BMI—why EEG?	5
1.4 Measurement of EEG	6
1.4.1 Principle of EEG	6
1.4.2 How to measure EEG	6
1.4.3 Practical issues	7
1.5 Neurophysiological signals in EEG for driving BMIs	9
1.5.1 Evoked potentials	9
1.5.2 Spontaneous signals	10
1.6 Commonly used EEG processing methods in BMI	11
1.6.1 Preprocessing	11
1.6.2 Re-referencing	12
1.6.3 Feature extraction	13
1.6.4 Classification	14
1.7 Feedback	14
1.8 BMI applications	15
1.9 Summary	16
References	16

<b>2 Discriminative learning of connectivity pattern of motor imagery EEG</b>	<b>23</b>
<i>Xinyang Li, Cuntai Guan, and Huijuan Yang</i>	
Abstract	23
2.1 Introduction	23
2.2 Discriminative learning of connectivity pattern of motor imagery EEG	26
2.2.1 Spatial filter design for variance feature extraction	26
2.2.2 Discriminative learning of connectivity pattern	27
2.3 Experimental study	28
2.3.1 Experimental setup and data processing	28
2.3.2 Correlation results	29
2.3.3 Classification results	35
2.4 Relations with existing methods	36
2.5 Conclusion	36
References	37
<b>3 An experimental study to compare CSP and TSM techniques to extract features during motor imagery tasks</b>	<b>41</b>
<i>Matteo Sartori, Simone Fiori, and Toshihisa Tanaka</i>	
Abstract	41
3.1 Introduction	42
3.2 Theoretical concepts and methods	44
3.2.1 Averaging techniques of SCMs	44
3.2.2 SCM averages in CSP and TSM methods	46
3.2.3 Multidimensional scaling (MDS) algorithm	47
3.3 Experimental results	48
3.3.1 Classification accuracy	48
3.3.2 SCMs distributions on tangent spaces	54
3.4 Conclusions	58
References	58
<b>4 Robust EEG signal processing with signal structures</b>	<b>61</b>
<i>Hiroshi Higashi and Toshihisa Tanaka</i>	
Abstract	61
4.1 Introduction	61
4.2 Source analysis	63
4.3 Regularization	65
4.4 Filtering in graph spectral domain	67
4.4.1 Graph Fourier transform	67
4.4.2 Smoothing and dimensionality reduction by GFT	70
4.4.3 Tangent space mapping from Riemannian manifold	72
4.4.4 Smoothing on functional brain structures	74
4.5 Conclusion	76
References	76

<b>5 A review on transfer learning approaches in brain–computer interface</b>	<b>81</b>
<i>Ahmed M. Azab, Jake Toth, Lyudmila S. Mihaylova, and Mahnaz Arvaneh</i>	
Abstract	81
5.1 Introduction	81
5.2 Transfer learning	82
5.2.1 History of transfer learning	82
5.2.2 Transfer learning definition	83
5.2.3 Transfer learning categories	84
5.3 Transfer learning approaches	85
5.3.1 Instance-based transfer learning	85
5.3.2 Feature-representation transfer learning	85
5.3.3 Classifier-based transfer learning	85
5.3.4 Relational-based transfer learning	86
5.4 Transfer learning methods used in BCI	86
5.4.1 Instance-based transfer learning in BCI	86
5.4.2 Feature-representation transfer learning in BCI	88
5.4.3 Classifier-based transfer learning in BCI	92
5.4.4 Unsupervised transfer learning	96
5.5 Challenges and discussion	96
5.5.1 Instance-based transfer learning in BCI	96
5.5.2 Feature-representation transfer learning in BCI	97
5.5.3 Classifier-based transfer learning in BCI	97
5.6 Summary	97
References	98
 <b>6 Unsupervised learning for brain–computer interfaces based on event-related potentials</b>	 <b>103</b>
<i>Pieter-Jan Kindermans, David Hübner, Thibault Verhoeven, Klaus-Robert Müller, and Michael Tangermann</i>	
Abstract	103
6.1 Introduction	103
6.2 Event-related potential based brain–computer interfaces	106
6.3 Decoding based on expectation maximisation	107
6.3.1 The probabilistic model for ERP BCI	107
6.3.2 Training the model	108
6.4 Decoding based on learning from label proportions	110
6.4.1 Learning from label proportions	110
6.4.2 A modified ERP paradigm	111
6.4.3 Training of the LLP model	112
6.5 Combining EM and LLP decoders analytically	113
6.5.1 Training the MIX model	114

6.6	Experimental setup	114
6.6.1	Data	114
6.6.2	Data processing	115
6.6.3	Methods and hyperparameters	115
6.7	Results	116
6.8	Conclusion	120
	Acknowledgements	120
	References	121
<b>7</b>	<b>Covariate shift detection-based nonstationary adaptation in motor-imagery-based brain–computer interface</b>	<b>125</b>
	<i>Haider Raza and Dheeraj Rathee</i>	
	Abstract	125
7.1	Introduction	125
7.2	Background	127
7.2.1	Covariate shift in EEG signals	127
7.2.2	Adaptive learning methods in EEG-based BCI	127
7.3	Covariate shift detection-based nonstationary adaptation (CSD-NSA) algorithm	129
7.3.1	Problem formulation	129
7.3.2	Covariate shift detection (CSD) test	130
7.3.3	Supervised CSD-NSA algorithm	131
7.3.4	Unsupervised CSD-NSA algorithm	132
7.4	Experimental validation of the CSD-NSA algorithms	135
7.4.1	EEG dataset	135
7.4.2	Signal processing and feature extraction	135
7.4.3	Feature selection and parameter estimation	136
7.4.4	Empirical results	137
7.5	Discussion and future prospects	138
	References	139
<b>8</b>	<b>A BCI challenge for the signal-processing community: considering the user in the loop</b>	<b>143</b>
	<i>Fabien Lotte, Camille Jeunet, Jelena Mladenovic, Bernard N’Kaoua, and Léa Pillette</i>	
	Abstract	143
8.1	Introduction	144
8.2	Modeling the user	145
8.2.1	Estimating and tracking the user’s mental states from multimodal sensors	146
8.2.2	Quantifying users’ skills	148
8.2.3	Creating a dynamic model of the users’ states and skills	149

8.3	Improving BCI user training	155
8.3.1	Designing features and classifiers that the user can understand and learn from	156
8.3.2	Identifying when to update classifiers to enhance learning	157
8.3.3	Designing BCI feedbacks ensuring learning	158
8.4	Conclusion	163
	Acknowledgments	164
	References	164
<b>9</b>	<b>Feedforward artificial neural networks for event-related potential detection</b>	<b>173</b>
	<i>Hubert Cecotti</i>	
	Abstract	173
9.1	Introduction	173
9.2	Event-related potentials	175
9.3	Feedforward neural networks	176
9.3.1	Activation functions	177
9.3.2	Error evaluation	178
9.3.3	Architectures	178
9.4	Methods	183
9.5	Experimental protocol	184
9.5.1	Conv nets	184
9.5.2	Performance evaluation	186
9.6	Results	186
9.7	Discussion	188
9.8	Conclusion	190
	References	190
<b>10</b>	<b>Signal models for brain interfaces based on evoked response potential in EEG</b>	<b>193</b>
	<i>Yeganeh M. Marghi, Paula Gonzalez-Navarro, Fernando Quivira, James McLean, Bruna Girvent, Mohammad Moghadamfalahi, Murat Akcakaya, and Deniz Erdogmus</i>	
	Abstract	193
10.1	ERP-based BCIs	193
10.1.1	Multidimensional EEG classification	195
10.1.2	Nonstationarities in EEG signals	195
10.1.3	Noise in the class labels	196
10.2	ERP-based inference	197
10.2.1	ERP detection	197
10.2.2	Linear model and covariance matrix structures	198
10.2.3	Nonstationarities detection	203
10.2.4	Decoupling the class label from ERP detection	205

10.3	Experimental results and discussions	206
10.3.1	ERP-based BCI typing system	206
10.3.2	ERP-based BCI with tactile stimuli	210
10.4	Summary	213
	References	214
<b>11</b>	<b>Spatial filtering techniques for improving individual template-based SSVEP detection</b>	<b>219</b>
	<i>Masaki Nakanishi, Yijun Wang, and Tzyy-Ping Jung</i>	
	Abstract	219
11.1	Introduction	219
11.2	Individual template-based SSVEP detection	222
11.2.1	Basic framework	222
11.2.2	Ensemble strategy	223
11.2.3	Filter bank analysis	224
11.3	Spatial-filtering techniques	225
11.3.1	Average combination	225
11.3.2	Minimum energy combination	225
11.3.3	Canonical correlation analysis	228
11.3.4	Independent component analysis	229
11.3.5	Task-related component analysis	230
11.4	Material and methods	231
11.4.1	Dataset	231
11.4.2	Performance evaluation	232
11.5	Results and discussions	233
11.5.1	Signal features of SSVEPs after spatial filtering	233
11.5.2	A comparison of frameworks for SSVEP detection	233
11.5.3	A comparison of electrodes settings	236
11.5.4	Toward further improvement	238
11.5.5	Challenges and future direction	238
11.6	Conclusions	239
	References	239
<b>12</b>	<b>A review of feature extraction and classification algorithms for image RSVP-based BCI</b>	<b>243</b>
	<i>Zhengwei Wang, Graham Healy, Alan F. Smeaton, and Tomas E. Ward</i>	
	Abstract	243
12.1	Introduction	243
12.2	Overview of RSVP experiments and EEG data	245
12.2.1	RSVP experiment for EEG data acquisition	245
12.2.2	Brief introduction to RSVP-EEG pattern	246

12.2.3	RSVP-EEG data preprocessing and properties	249
12.2.4	Performance evaluation metrics	250
12.3	Feature extraction methods used in RSVP-based BCI research	251
12.3.1	Spatial filtering	251
12.3.2	Time-frequency representation	256
12.3.3	Other feature extraction methods	257
12.3.4	Summary	258
12.4	Survey of classifiers used in RSVP-based BCI research	258
12.4.1	Linear classifiers	258
12.4.2	Neural networks	262
12.5	Conclusion	264
	Acknowledgment	265
	References	265
<b>13</b>	<b>Decoding music perception and imagination using deep-learning techniques</b>	<b>271</b>
	<i>Sebastian Stober and Avital Sternin</i>	
	Abstract	271
13.1	Introduction and motivation	271
13.1.1	Evidence from research on auditory perception and imagination	271
13.1.2	Existing auditory and music-based BCIs	273
13.2	Deep learning for EEG analysis – the state of the art	274
13.2.1	Challenges	274
13.2.2	Deep learning applied to EEG analysis	275
13.2.3	Custom solutions developed for EEG analysis	276
13.2.4	The need for open science	277
13.2.5	Summary	277
13.3	Experimental design	278
13.3.1	Stimulus selection	278
13.3.2	Equipment and procedure	279
13.3.3	Preprocessing	281
13.4	Representation learning techniques for pre-training	282
13.4.1	Basic auto-encoder	282
13.4.2	Cross-trial encoder	285
13.4.3	Hydra-net cross-trial encoder	286
13.4.4	Similarity-constraint encoder	286
13.4.5	Siamese networks and triplet networks	290
13.5	Interpreting trained models	291
13.6	Conclusions	293
	References	295

<b>14 Neurofeedback games using EEG-based brain–computer interface technology</b>	<b>301</b>
<i>A.P. Vinod and Kavitha P. Thomas</i>	
Abstract	301
14.1 Introduction	302
14.2 Generic framework of a neurofeedback game using BCI technology	303
14.2.1 Data acquisition	303
14.2.2 Data processing	304
14.2.3 Control signal generation	304
14.2.4 Gaming interface	305
14.3 Classification of neurofeedback games based on BCI interaction	305
14.3.1 Active BCI games	305
14.3.2 Reactive BCI games	310
14.3.3 Passive BCI games	314
14.3.4 Hybrid games	318
14.4 EEG devices for neurofeedback development	319
14.5 Benefits of neurofeedback games	320
14.5.1 Novel entertainment modality	320
14.5.2 Cognitive enhancement tool in the neurologically challenged as well as healthy	321
14.5.3 BCI performance booster	321
14.6 Challenges in practical implementation	322
14.7 Conclusion	324
References	324
<b>Index</b>	<b>331</b>