Contents

| Pr Ab Ac No | Preface About the Authors Acknowledgments Nomenclature | | | |
|----------------------|---|---------|--|----|
| 1 | Intr | oductio |)n | 1 |
| - | Over | view | | 1 |
| | 1.1 | Groun | dwork | 1 |
| | 1.2 | Motiv | ation | 2 |
| | 1.3 | Aims | | 3 |
| | 1.4 | Appro | ach | 3 |
| | 1.5 | Scope | | 4 |
| | 1.6 | Outlin | e of the book | 5 |
| 2 | The | rmody | namic analysis: fundamentals, energy and exergy | 9 |
| | Over | view | | 9 |
| | 2.1 | Introd | uction | 9 |
| | 2.2 | Energ | y analysis | 10 |
| | 2.3 | Exerg | y analysis | 11 |
| | | 2.3.1 | The exergy method of analysis | 12 |
| | | 2.3.2 | Improving efficiency with exergy analysis: illustration | |
| | | | for electricity generation | 14 |
| | | 2.3.3 | Illustration of exergy analysis for electrical resistance | |
| | | | space heating | 16 |
| | | 2.3.4 | Illustration of exergy analysis for thermal energy storage | 17 |
| | 2.4 | Therm | nodynamic nomenclature and terminology | 18 |
| | 2.5 | Therm | nodynamic balance equations and basic quantities | 19 |
| | | 2.5.1 | Balance equations | 19 |
| | | 2.5.2 | Quantities in balance equations | 21 |
| | 2.6 | The re | eference environment | 23 |
| | | 2.6.1 | Natural-environment-subsystem models | 24 |
| | | 2.6.2 | Reference-substance models | 25 |
| | | 2.6.3 | Equilibrium and constrained-equilibrium models | 26 |
| | | 2.6.4 | Process-dependent models | 27 |
| | 2.7 | Efficie | encies | 27 |
| | | 2.7.1 | Conventional energy and exergy efficiencies | 27 |
| | | 2.7.2 | Alternative efficiencies | 28 |

viii Cogeneration and district energy systems

| | 2.8 | Properties for energy and exergy analyses | | | | |
|---|----------------------|---|--|----|--|--|
| | 2.9 | Implie | cations of energy and exergy analyses on related | | | |
| | | resear | ch and development | 29 | | |
| | | 2.9.1 | Correlating energy and exergy analyses with | | | |
| | | | allocations of research efforts | 29 | | |
| | | 2.9.2 | Measures to reduce exergy losses | 30 | | |
| | 2.10 | Steps | for energy and exergy analyses | 31 | | |
| | 2.11 | Illustr | ative example | 31 | | |
| | | 2.11.1 | Description and subdivision for analysis | | | |
| | | | of system considered | 31 | | |
| | | 2.11.2 | Performance of conventional mass and energy balances | 33 | | |
| | | 2.11.3 | Selection of reference-environment model | 33 | | |
| | | 2.11.4 | Evaluation of energy and exergy flow rates | 33 | | |
| | | 2.11.5 | Performance of exergy balances and determination | | | |
| | | | of exergy consumptions | 37 | | |
| | | 2.11.6 | Selection and evaluation of efficiencies | 37 | | |
| | | 2.11.7 | Interpretation of results | 37 | | |
| | 2.12 | 2 Exergy values for typical commodities encountered | | | | |
| | | in cog | generation and district energy | 38 | | |
| | | 2.12.1 | Exergy values for thermal quantities | 38 | | |
| | | 2.12.2 | 2 Exergy values for other thermodynamic quantities | 39 | | |
| | 2.13 | Exten | sions of exergy methods | 44 | | |
| | 2.14 | Closu | re | 48 | | |
| 3 | Cogeneration systems | | | | | |
| | Over | view | | 49 | | |
| | 3.1 | Introd | uction | 49 | | |
| | 3.2 | Fundamentals | | | | |
| | 3.3 | Coger | neration and related energy systems | 50 | | |
| | | 3.3.1 | Cogeneration definition | 50 | | |
| | | 3.3.2 | Cogeneration vs. thermal electrical generation | 54 | | |
| | | 3.3.3 | Cogeneration benefits | 54 | | |
| | | 3.3.4 | Cogeneration uses and operation | 55 | | |
| | | 3.3.5 | Cogeneration applications | 55 | | |
| | | 3.3.6 | Cogeneration and energy storage | 56 | | |
| | 3.4 | General cogeneration system model | | | | |
| | 3.5 | Descr | iption of a general cogeneration system | 60 | | |
| | | 3.5.1 | Energy and exergy balances | 60 | | |
| | | 3.5.2 | Efficiencies | 61 | | |
| | | 3.5.3 | Trade-off between cogeneration electrical and | | | |
| | | | thermal outputs | 62 | | |
| | 3.6 | System | ns for electricity generation and cogeneration | 67 | | |
| | | 3.6.1 | Thermal electricity-generation systems | 68 | | |
| | | 3.6.2 | Cogeneration systems | 71 | | |

| | 3.7 | Case study: reciprocating engine heat and power generation for | |
|---|-----|--|-----|
| | | wastewater treatment | 75 |
| | | 3.7.1 Cogeneration system | 76 |
| | | 3.7.2 Anaerobic digesters | 76 |
| | | 3.7.3 Biogas conditioning | 76 |
| | | 3.7.4 Biogas storage tank | 76 |
| | | 3.7.5 System benefits | 76 |
| | 3.8 | Closure | 77 |
| 4 | Hea | ting and district heating systems | 79 |
| | Ove | rview | 79 |
| | 4.1 | Introduction | 79 |
| | 4.2 | General heating system model | 80 |
| | 4.3 | Analyses for general heating system | 80 |
| | | 4.3.1 Energy and exergy balances | 80 |
| | | 4.3.2 Efficiencies | 82 |
| | 4.4 | Systems for heating | 83 |
| | | 4.4.1 Heating technologies and their characteristics | 83 |
| | | 4.4.2 Fuel-based heating | 85 |
| | | 4.4.3 Electricity-based heating | 86 |
| | | 4.4.4 Waste heat recovery | 87 |
| | | 4.4.5 Ground-based heating | 87 |
| | | 4.4.6 Solar-based heating | 88 |
| | | 4.4.7 Heat pumps | 90 |
| | 4.5 | Systems for district heating | 94 |
| | | 4.5.1 Description | 94 |
| | | 4.5.2 Advantages of district heating | 95 |
| | | 4.5.3 Operation and applications | 96 |
| | | 4.5.4 History | 97 |
| | | 4.5.5 Energy sources for district heating | 97 |
| | | 4.5.6 Types of district heating systems | 98 |
| | 4.6 | Case study: solar/biomass district heating in Marstal. Denmark | 103 |
| | | 4.6.1 System description | 103 |
| | | 4.6.2 System installation history | 103 |
| | | 4.6.3 Cogeneration plant operation | 105 |
| | | 4 6 4 Energy distribution network | 106 |
| | | 4 6 5 Economics | 106 |
| | | 4 6 6 System benefits | 106 |
| | 4.7 | Closure | 106 |
| 5 | Chi | lling and district cooling systems | 107 |
| 2 | Ove | rview | 107 |
| | 5.1 | Introduction | 107 |
| | 5.2 | General cooling system model | 108 |
| | | | 100 |

| | 5.3 | Analyses for general cooling system | 109 |
|---|------|---|-----|
| | | 5.3.1 Energy and exergy balances | 109 |
| | | 5.3.2 Efficiencies | 109 |
| | 5.4 | Systems for cooling | 110 |
| | | 5.4.1 Cooling technologies and their characteristics | 111 |
| | | 5.4.2 Vapor-compression chiller systems | 111 |
| | | 5.4.3 Absorption chiller systems | 113 |
| | | 5.4.4 Free cooling | 116 |
| | 5.5 | Systems for district cooling | 117 |
| | | 5.5.1 Description and categorization | 117 |
| | | 5.5.2 Distribution and capacity | 118 |
| | | 5.5.3 Applications and examples | 119 |
| | | 5.5.4 Types of district cooling systems | 120 |
| | 5.6 | Case studies | 123 |
| | | 5.6.1 Case study: district cooling network in Paris, France | 123 |
| | | 5.6.2 Case study: free cooling plant in Paris, France | 125 |
| | 5.7 | Closure | 127 |
| 6 | Inte | egrated systems for cogeneration and district energy | 129 |
| | Ove | erview | 129 |
| | 6.1 | Introduction | 129 |
| | 6.2 | District energy | 130 |
| | 6.3 | Trigeneration and multigeneration | 130 |
| | 6.4 | Cogeneration-based district energy | 131 |
| | | 6.4.1 Variations of cogeneration-based district energy | 132 |
| | | 6.4.2 Comparison of cogeneration-based district energy | |
| | | with alternative and conventional systems | 134 |
| | 6.5 | General system model and operation modes | 135 |
| | 6.6 | Description of a combined cogeneration/district energy system | 139 |
| | | 6.6.1 Energy and exergy balances | 139 |
| | | 6.6.2 Efficiencies | 140 |
| | | 6.6.3 Alternative measure of system efficiency | 141 |
| | 6.7 | Systems for integrated cogeneration/district energy | 144 |
| | 6.8 | Case study: cogeneration for district heating in | |
| | | Houston, Texas, USA | 144 |
| | | 6.8.1 Cogeneration system | 144 |
| | | 6.8.2 Chilled water system | 145 |
| | | 6.8.3 Energy storage | 145 |
| | | 6.8.4 District energy network | 145 |
| | | 6.8.5 System benefits | 145 |
| | () | 6.8.6 Operational performance | 146 |
| | 6.9 | Closure | 147 |
| 7 | Cor | mparison of systems for integrated cogeneration and | |
| | dist | rict energy | 149 |
| | Ove | erview | 149 |

| | 7.1 | Introduction | 149 |
|---|-----|--|-----|
| | 7.2 | Descriptions of cases considered | 150 |
| | 7.3 | Efficiency measures for cases considered | 151 |
| | 7.4 | Performance and efficiency of chillers | 151 |
| | 7.5 | Performance and efficiency for cogeneration and heating | 157 |
| | 7.6 | Performance and efficiency of integrated cogeneration/ | |
| | | district energy | 158 |
| | 7.7 | Closure | 160 |
| 8 | Eco | nomics of cogeneration and district energy | 161 |
| | Ove | rview | 161 |
| | 8.1 | Introduction | 161 |
| | 8.2 | Fundamentals | 162 |
| | 8.3 | General economic considerations | 162 |
| | | 8.3.1 Estimation of TCI | 163 |
| | | 8.3.2 Economic evaluation | 167 |
| | | 8.3.3 Revenue requirements | 167 |
| | | 8.3.4 Profitability evaluation methods | 168 |
| | 8.4 | Cogeneration economics case study | 168 |
| | | 8.4.1 Case-study scenario | 168 |
| | | 8.4.2 Fixed and total capital investment | 168 |
| | | 8.4.3 Cogeneration project economics | 171 |
| | | 8.4.4 Fuel costs, start-up costs and WC | 171 |
| | | 8.4.5 Plant facility investment and modified accelerated | |
| | | cost recovery system | 173 |
| | | 8.4.6 Product costs | 174 |
| | 8.5 | Applications of cogeneration economics case study | 175 |
| | | 8.5.1 Historical application | 175 |
| | | 8.5.2 Modern application | 175 |
| | 8.6 | Economic considerations for cogeneration/district energy systems | 176 |
| | | 8.6.1 Economic considerations for generation and distribution | 176 |
| | | 8.6.2 Economic considerations for consumers | 178 |
| | 8.7 | Analogy between allocating wastes and economic costs for | |
| | | cogeneration | 179 |
| | 8.8 | Investigations of economics of cogeneration and district energy | 180 |
| | | 8.8.1 Heating and district heating | 180 |
| | | 8.8.2 Cooling and district cooling | 181 |
| | | 8.8.3 Cogeneration and district energy | 182 |
| | 8.9 | Closure | 183 |
| 9 | Env | ironmental impact of cogeneration systems: wastes | |
| | and | their allocation | 185 |
| | Ove | rview | 185 |
| | 9.1 | Introduction | 185 |
| | | 9.1.1 Motivation | 186 |
| | | 9.1.2 Outline of chapter | 187 |
| | | | |

| | 9.2 | 2 Wastes from cogeneration | | | |
|----|-------|---|--|-----|--|
| | 9.3 | Allocat | tion methods for cogeneration wastes | 188 | |
| | | 9.3.1 | Selected methods for allocating cogeneration wastes | 189 | |
| | | 9.3.2 | Rationale for allocating cogeneration wastes | 193 | |
| | | 9.3.3 | Further discussion and comparison of allocation | | |
| | | | methods for cogeneration wastes | 197 | |
| | | 9.3.4 | Section closure | 199 | |
| | 9.4 | Case st | tudy 1: steam-based cogeneration | 200 | |
| | | 9.4.1 | System description | 200 | |
| | | 9.4.2 | Energy and exergy values | 201 | |
| | | 9.4.3 | Waste allocation results | 201 | |
| | 9.5 | Case st | tudy 2: hot water-based cogeneration with district energy | 202 | |
| | | 9.5.1 | System description | 202 | |
| | | 9.5.2 | Energy and exergy values | 203 | |
| | | 9.5.3 | Waste allocation results | 204 | |
| | 9.6 | Case st | tudy 3: comparison of waste allocations for cogeneration | | |
| | | and eq | uivalent independent plants | 207 | |
| | | 9.6.1 | Scenario description | 207 | |
| | | 9.6.2 | Energy and exergy values | 208 | |
| | | 9.6.3 | Waste allocation results | 210 | |
| | 9.7 | Closure | e | 212 | |
| 10 | Clim | nato cha | ange and cogeneration, addressing carbon | | |
| 10 | diox | ide emi | ssions | 215 | |
| | Over | view | | 215 | |
| | 10.1 | 10.1 Introduction | | 215 | |
| | 10.2 | Carbon dioxide emissions from cogeneration | | | |
| | 10.3 | Allocation methods for carbon dioxide emissions | | | |
| | | from cogeneration | | | |
| | | 10.3.1 | Simplified selected methods for allocating | | |
| | | | carbon dioxide emissions for cogeneration | 219 | |
| | | 10.3.2 | 2 Basic considerations in allocating carbon dioxide | | |
| | | | emissions for cogeneration | 222 | |
| | | 10.3.3 | 3 Exergy vs. energy in allocating cogeneration | | |
| | | | CO ₂ emissions | 223 | |
| | 10.4 | Case | study: comparing CO_2 emissions allocations for | | |
| | cogei | | ogeneration and independent plants and use for determining | | |
| | | and trading CO ₂ emissions credits | | | |
| | | 10.4.1 | Recap of case study 3 of section 9.6: comparison | | |
| | | | of waste allocations for a cogeneration system and | | |
| | | | equivalent independent plants | 225 | |
| | | 10.4.2 | 2 Carbon dioxide allocation results | 227 | |
| | | 10.4.3 | 3 CO ₂ emissions credits for trading purposes | / | |
| | | | from switching to cogeneration from equivalent | | |
| | | | independent plants | 228 | |
| | 10.5 | Closu | r0 | 235 | |

| 11 | Mode | eling and | d optimization of cogeneration-based district energy | | |
|----|--|---|--|-----|--|
| | systems accounting for economics and environmental impact | | | | |
| | Overview | | | | |
| | 11.1 | Introdu | ction | 237 | |
| | 11.2 | Energy | equilibrium model and its mathematical formulation | 238 | |
| | 11.3 | Method | lologies for analysis of economic impacts | 241 | |
| | | 11.3.1 | Partial social welfare change | 241 | |
| | | 11.3.2 | Payback-period method | 242 | |
| | 11.4 | Method | lologies for analysis of environmental impacts | 242 | |
| | 11.5 Case study | | udy | 243 | |
| | | 11.5.1 | Description of scenarios | 243 | |
| | | 11.5.2 | Parameter values for the illustrative model | 244 | |
| | | 11.5.3 | Resulting partial social welfare changes | | |
| | | | and improvements | 245 | |
| | 11.6 | Closure | • | 246 | |
| 12 | Deve | lopment | s and advances in technologies and systems | | |
| | for c | ogenerat | ion and district energy | 247 | |
| | Overv | view | 80 | 247 | |
| | 12.1 | Introdu | ction | 247 | |
| | 12.2 | Cogeneration and extended cogeneration | | | |
| | | 12.2.1 | Cogeneration | 249 | |
| | | 12.2.2 | Trigeneration and multigeneration | 251 | |
| | 12.3 | Heating | and cooling | 254 | |
| | | 12.3.1 | Heating | 255 | |
| | | 12.3.2 | Cooling | 255 | |
| | 12.4 | District energy | | | |
| | 12.5 | Integrated systems for cogeneration and district energy | | | |
| | 12.6 | Economics of systems and technologies related to cogeneration | | | |
| | and district energy | | trict energy | 258 | |
| | | 12.6.1 | Economics of heating and cooling | 258 | |
| | | 12.6.2 | Economics of district energy | 258 | |
| | | 12.6.3 | Economics of cogeneration | 259 | |
| | | 12.6.4 | Economics of trigeneration and multigeneration | 261 | |
| | | 12.6.5 | Economics of cogeneration-based district energy | 262 | |
| | 12.7 Reducing environmental impact and climate change with | | ng environmental impact and climate change with | | |
| | | cogener | ration and district energy | 264 | |
| | | 12.7.1 | Heating, cooling and district energy | 265 | |
| | | 12.7.2 | Cogeneration and related systems | 265 | |
| | | 12.7.3 | Trigeneration and related systems | 266 | |
| | | 12.7.4 | Cogeneration-based district energy systems | 267 | |
| | 12.8 | Optimiz | zation of systems related to cogeneration and | | |
| | | district | energy | 267 | |
| | | 12.8.1 | Optimization of distributed energy systems | 267 | |
| | | 12.8.2 | Optimization of cogeneration systems | 269 | |
| | | 12.8.3 | Optimization of extended cogeneration systems | 270 | |

| | | 12.8.4 | Optimization of district energy systems | 272 | |
|--------------------------------------|----------------------|---------|---|-----|--|
| | | 12.8.5 | Optimization of systems integrating cogeneration or | | |
| | | | trigeneration and district energy | 273 | |
| | 12.9 | Closure | ; | 277 | |
| 13 Closing and future considerations | | | | 279 | |
| | Overview | | | | |
| | 13.1 | Summa | ry | 279 | |
| | 13.2 Closing remarks | | remarks | 281 | |
| | 13.3 | Future | considerations | 282 | |
| Re | ferenc | es | | 287 | |
| Inc | index | | | | |