

---

# Contents

---

|                                                                |             |
|----------------------------------------------------------------|-------------|
| <b>Preface</b>                                                 | <b>xvii</b> |
| <b>Notes on contributors</b>                                   | <b>xix</b>  |
| <br>                                                           |             |
| <b>1 Introduction and motivation</b>                           | <b>1</b>    |
| <i>S. M. Mueeen and Saifur Rahman</i>                          |             |
| 1.1 Power system to smart grid                                 | 1           |
| 1.2 Technical aspects—present and future                       | 3           |
| 1.2.1 Smart-grid architecture                                  | 3           |
| 1.2.2 Smart-grid communications                                | 3           |
| 1.2.3 Smart measurement and sensing                            | 5           |
| 1.2.4 Smart transmission and distribution and consumer systems | 5           |
| 1.2.5 Energy storage system                                    | 7           |
| 1.2.6 Smart-grid control aspects                               | 7           |
| 1.2.7 Stability and security                                   | 9           |
| 1.2.8 Policy, regulation, standard                             | 9           |
| 1.3 What is inside the book                                    | 10          |
| 1.4 Conclusions                                                | 12          |
| References                                                     | 13          |
| <br>                                                           |             |
| <b>2 Smart grid architecture—key elements and definitions</b>  | <b>15</b>   |
| <i>Sebastian Lehnhoff and Mathias Uslar</i>                    |             |
| 2.1 Introduction                                               | 15          |
| 2.2 Smart grid—a definition                                    | 18          |
| 2.3 Smart-grid future vision                                   | 22          |
| 2.3.1 The German roadmap E-Energy/smart grid                   | 23          |
| 2.3.2 US NIST IOP roadmap                                      | 23          |
| 2.3.3 IEC SMB SG 3                                             | 23          |
| 2.3.4 German BMWi E-Energy program                             | 24          |
| 2.3.5 Microsoft Smart Energy Reference Architecture            | 24          |
| 2.3.6 The State Grid Corporation of China framework            | 25          |
| 2.4 Smart-grid architecture model                              | 26          |
| 2.5 Communication and standards                                | 30          |
| 2.6 Functions of future smart-grid components                  | 32          |
| 2.6.1 Smart device interface components                        | 33          |
| 2.6.2 Advanced forecasting                                     | 33          |

|          |                                                                                      |           |
|----------|--------------------------------------------------------------------------------------|-----------|
| 2.6.3    | Control of demand, generation and storage units                                      | 34        |
| 2.6.4    | Data transmission and monitoring                                                     | 35        |
| 2.6.5    | Power flow and energy management                                                     | 36        |
| 2.7      | Conclusions                                                                          | 37        |
|          | References                                                                           | 39        |
| <b>3</b> | <b>Smart-grid communications and standards</b>                                       | <b>45</b> |
|          | <i>Noman Bashir, Naveed Ul Hassan, Chau Yuen and Wayes Tushar</i>                    |           |
| 3.1      | Introduction                                                                         | 45        |
| 3.2      | Smart-grid communication network                                                     | 47        |
| 3.2.1    | Access tier HAN                                                                      | 48        |
| 3.2.2    | Distribution tier—NAN                                                                | 48        |
| 3.2.3    | Core tier—WAN                                                                        | 49        |
| 3.3      | Communication technologies, standards and protocols<br>for physical layer operations | 49        |
| 3.3.1    | Wired communication technologies                                                     | 50        |
| 3.3.2    | Wireless technologies                                                                | 55        |
| 3.3.3    | Summary of communication technologies for smart-grid<br>applications                 | 61        |
| 3.4      | MAC layer communication protocols                                                    | 64        |
| 3.4.1    | MAC layer communication protocols for wired technologies                             | 65        |
| 3.4.2    | MAC layer communication protocols for<br>wireless technologies                       | 66        |
| 3.4.3    | Summary of MAC layer communication protocols                                         | 70        |
| 3.5      | Network layer communication protocols                                                | 71        |
| 3.5.1    | Routing protocols for HANs                                                           | 71        |
| 3.5.2    | Routing protocols for NANs                                                           | 77        |
| 3.5.3    | Routing protocols for WANs                                                           | 81        |
| 3.6      | Case study                                                                           | 81        |
| 3.6.1    | SUTD testbed: HAN                                                                    | 82        |
| 3.6.2    | NAN                                                                                  | 84        |
| 3.6.3    | Challenges                                                                           | 85        |
| 3.7      | Conclusion                                                                           | 86        |
|          | References                                                                           | 86        |
| <b>4</b> | <b>Measurement and sensing devices for the smart grid</b>                            | <b>93</b> |
|          | <i>Ahmed S. Musleh, Ahmed Al-Durra and Mohammed A. Abou-Khousa</i>                   |           |
| 4.1      | Introduction                                                                         | 93        |
| 4.2      | Sensor development background                                                        | 94        |
| 4.2.1    | Fundamentals of measurements                                                         | 95        |
| 4.2.2    | Measurement system architecture                                                      | 97        |
| 4.3      | Fundamentals of sensing mechanism                                                    | 100       |
| 4.3.1    | Element model                                                                        | 100       |
| 4.3.2    | Measurements errors                                                                  | 102       |

|          |                                                                       |            |
|----------|-----------------------------------------------------------------------|------------|
| 4.4      | Classifications of smart grid sensors and meters                      | 103        |
| 4.4.1    | Basic measurement devices                                             | 103        |
| 4.4.2    | Smart measurement devices                                             | 111        |
| 4.4.3    | Miscellaneous sensing devices                                         | 115        |
| 4.5      | Use of sensors and measuring devices in smart grid                    | 117        |
| 4.5.1    | Generation side                                                       | 117        |
| 4.5.2    | Transmission side                                                     | 118        |
| 4.5.3    | Distribution side                                                     | 119        |
| 4.5.4    | Customer side                                                         | 120        |
| 4.5.5    | Summary of sensing devices used in the smart grid                     | 121        |
| 4.6      | Conclusions                                                           | 123        |
|          | References                                                            | 124        |
| <b>5</b> | <b>Smart transmission and wide-area monitoring system</b>             | <b>127</b> |
|          | <i>Yong Liu, Shutang You and Yilu Liu</i>                             |            |
| 5.1      | Introduction                                                          | 127        |
| 5.2      | Architecture of WAMS                                                  | 129        |
| 5.2.1    | PMU installation                                                      | 129        |
| 5.2.2    | Synchrophasor data management                                         | 130        |
| 5.2.3    | Synchrophasor standards                                               | 132        |
| 5.3      | Synchrophasor applications                                            | 134        |
| 5.4      | Case study—FNET/GridEye                                               | 135        |
| 5.4.1    | Sensor design                                                         | 135        |
| 5.4.2    | Server framework                                                      | 137        |
| 5.4.3    | Real-time applications                                                | 138        |
| 5.4.4    | Non-real-time applications                                            | 142        |
| 5.5      | Conclusions                                                           | 146        |
|          | References                                                            | 147        |
| <b>6</b> | <b>Bad data detection in the smart grid</b>                           | <b>151</b> |
|          | <i>Haris M. Khalid and Ahmed Al-Durra</i>                             |            |
| 6.1      | Introduction                                                          | 151        |
| 6.2      | Possible approaches                                                   | 152        |
| 6.2.1    | State estimation                                                      | 152        |
| 6.2.2    | Weighted least squares                                                | 152        |
| 6.2.3    | Dynamic state estimation                                              | 153        |
| 6.2.4    | Bad data analysis using chi-squared test and normalized residual test | 153        |
| 6.3      | Case study: oscillation monitoring                                    | 154        |
| 6.3.1    | Consequences of an attack                                             | 154        |
| 6.3.2    | Distinction between a fault and a cyber-attack                        | 154        |
| 6.3.3    | Difference from static monitoring applications                        | 154        |
| 6.4      | Modeling an attack in oscillation detection schemes                   | 155        |
| 6.4.1    | State-space representation of a power grid                            | 155        |

x     *Communication, control and security challenges for the smart grid*

|       |                                                                                 |     |
|-------|---------------------------------------------------------------------------------|-----|
| 6.4.2 | Constraints of a power grid                                                     | 155 |
| 6.4.3 | Electromechanical oscillation model formulation                                 | 156 |
| 6.4.4 | Characterization of an attack: an example                                       | 156 |
| 6.4.5 | Significance of distributed architecture towards<br>information of cyber-attack | 158 |
| 6.4.6 | Diagonalization of a system into subsystems                                     | 158 |
| 6.4.7 | Detection bad data using initial observation analysis                           | 159 |

|            |     |
|------------|-----|
| References | 160 |
|------------|-----|

**7 Optimal energy management in the smart grid** **165**

*Eleonora Riva Sanseverino, Maria Luisa Di Silvestre, Gaetano Zizzo,  
Ninh Nguyen Quang, Adriana Carolina Luna Hernandez and  
Josep M. Guerrero*

|            |                                                            |     |
|------------|------------------------------------------------------------|-----|
| 7.1        | Introduction                                               | 165 |
| 7.2        | Micro-grid turns to smart grid                             | 168 |
| 7.2.1      | Hierarchical control for micro-grids                       | 169 |
| 7.2.2      | Centralized and decentralized management                   | 170 |
| 7.2.3      | Energy management system and optimal power flow            | 171 |
| 7.3        | Energy management module in smart MGs                      | 172 |
| 7.3.1      | Problem description and general formulation                | 173 |
| 7.3.2      | Variables definition                                       | 173 |
| 7.3.3      | Objective function                                         | 174 |
| 7.3.4      | Constraints definition                                     | 174 |
| 7.3.5      | Global optimization methods for linear integer<br>problems | 176 |
| 7.4        | Optimal power flow module in smart micro-grids             | 177 |
| 7.4.1      | Problem description and general formulation                | 178 |
| 7.4.2      | Optimization variables                                     | 179 |
| 7.4.3      | Constraints                                                | 179 |
| 7.4.4      | Heuristic GSO-based method                                 | 179 |
| 7.5        | Case study                                                 | 181 |
| 7.6        | Conclusions                                                | 190 |
| Appendix A |                                                            | 190 |
| References |                                                            | 195 |

**8 Smart distribution system** **199**

*Jasrul Jamani Jamian, Muhammad Ariff Baharudin,  
Mohd Wazir Mustafa and Hazlie Mokhlis*

|       |                                                                         |     |
|-------|-------------------------------------------------------------------------|-----|
| 8.1   | Introduction—key components of the smart distribution system<br>network | 199 |
| 8.2   | Distributed energy resources                                            | 201 |
| 8.2.1 | PV system                                                               | 201 |
| 8.2.2 | Wind system                                                             | 203 |
| 8.2.3 | Electrical vehicle                                                      | 203 |

|          |                                                                 |            |
|----------|-----------------------------------------------------------------|------------|
| 8.3      | Distribution grid architecture                                  | 205        |
| 8.3.1    | Smart server and smart regional server                          | 206        |
| 8.3.2    | Smart appliances and smart meter                                | 207        |
| 8.3.3    | Types of load in SAs                                            | 208        |
| 8.4      | Key challenges in smart distribution system                     | 209        |
| 8.4.1    | Supervisory control and data acquisition                        | 209        |
| 8.4.2    | Protocol stacks of the proposed smart-grid system               | 210        |
| 8.4.3    | Message exchange in the smart system                            | 211        |
| 8.5      | Case study: frequency balance in smart-grid architecture        | 212        |
| 8.5.1    | Frequency increase and drop operation                           | 212        |
| 8.5.2    | Message exchange in frequency operation                         | 215        |
| 8.6      | Conclusion                                                      | 215        |
|          | References                                                      | 215        |
| <b>9</b> | <b>Smart consumer system</b>                                    | <b>219</b> |
|          | <i>Abdul R. Beig</i>                                            |            |
| 9.1      | Introduction                                                    | 219        |
| 9.2      | Types of smart-grid consumers                                   | 220        |
| 9.2.1    | Industrial consumers                                            | 221        |
| 9.2.2    | Commercial/service consumers                                    | 222        |
| 9.2.3    | Domestic consumers                                              | 223        |
| 9.3      | Demand-side management                                          | 224        |
| 9.3.1    | DSM in industrial consumers                                     | 224        |
| 9.3.2    | DSM commercial consumers                                        | 227        |
| 9.3.3    | DSM in residential consumers                                    | 231        |
| 9.4      | Benefits from smart consumers                                   | 233        |
| 9.4.1    | Reducing the peak load                                          | 233        |
| 9.4.2    | Reducing power generation                                       | 234        |
| 9.4.3    | Postponing the new grid infrastructure                          | 234        |
| 9.4.4    | Efficient and reliable operation of grid                        | 235        |
| 9.4.5    | Positive environment impact – reducing CO <sub>2</sub> emission | 235        |
| 9.4.6    | Cost saving                                                     | 235        |
| 9.4.7    | Distributed generation and distributed storage                  | 236        |
| 9.4.8    | Microgrid and virtual power plants                              | 236        |
| 9.4.9    | Opportunity for research, training and manufacturing            | 236        |
| 9.5      | Challenges in smart-grid operations                             | 237        |
| 9.5.1    | Challenges faced by utilities                                   | 237        |
| 9.5.2    | Government policies                                             | 238        |
| 9.5.3    | Consumer engagement, education and concerns                     | 238        |
| 9.5.4    | Technological challenges in smart-grid operations               | 241        |
| 9.6      | Consumer data protection, privacy and system reliability        | 242        |
| 9.6.1    | Reliability                                                     | 243        |
| 9.7      | Case study                                                      | 244        |
| 9.8      | Conclusions                                                     | 245        |
|          | References                                                      | 245        |

|                                                                                          |                |
|------------------------------------------------------------------------------------------|----------------|
| <b>10 Importance of energy storage system in the smart grid</b>                          | <b>247</b>     |
| <i>Faisal Mumtaz, Islam Safak Bayram and Ali Elrayyah</i>                                |                |
| 10.1 Introduction                                                                        | 247            |
| 10.2 Classification of ESS                                                               | 249            |
| 10.2.1 Classification by form of energy                                                  | 249            |
| 10.2.2 Classification by application                                                     | 250            |
| 10.2.3 Classification by storage capability                                              | 251            |
| 10.3 Battery storage technologies                                                        | 252            |
| 10.3.1 Lead acid batteries                                                               | 253            |
| 10.3.2 Sodium-sulfur (NaS) batteries                                                     | 253            |
| 10.3.3 Nickel cadmium (NiCd) batteries                                                   | 254            |
| 10.3.4 Nickel-metal hydride batteries                                                    | 255            |
| 10.3.5 Lithium-ion (Li-ion) batteries                                                    | 255            |
| 10.4 Flow battery energy storage                                                         | 256            |
| 10.5 Pumped hydro storage                                                                | 258            |
| 10.6 Compressed air energy storage                                                       | 259            |
| 10.7 Flywheel energy storage                                                             | 261            |
| 10.8 Hydrogen energy storage with fuel cell                                              | 262            |
| 10.9 Solar fuels                                                                         | 263            |
| 10.10 Capacitors and supercapacitors                                                     | 265            |
| 10.11 Superconducting magnetic energy storage                                            | 267            |
| 10.12 Thermal energy storage                                                             | 268            |
| 10.12.1 Sensible heat system                                                             | 268            |
| 10.12.2 Latent heat system                                                               | 269            |
| 10.12.3 Thermochemical heat storage                                                      | 269            |
| 10.13 Overview of current projects                                                       | 270            |
| 10.14 Power electronics for ESSs                                                         | 275            |
| 10.15 Analytical problems                                                                | 277            |
| 10.16 Case study: renewable energy integration                                           | 278            |
| References                                                                               | 279            |
| <br><b>11 Control and optimisation for integration of plug-in vehicles in smart grid</b> | <br><b>285</b> |
| <i>Zhile Yang and Kang Li</i>                                                            |                |
| 11.1 Introduction                                                                        | 285            |
| 11.2 Modelling of plug-in electric vehicle for smart grid                                | 286            |
| 11.2.1 Categories of electric vehicles                                                   | 287            |
| 11.2.2 Modelling of key components of plug-in electric vehicles                          | 287            |
| 11.2.3 Foundation of plug-in vehicle facilities for smart grid integration               | 290            |
| 11.3 Control and optimisation techniques for plug-in vehicle integration with grid       | 295            |
| 11.3.1 Objectives and constraints                                                        | 295            |
| 11.3.2 Control and optimisation tools                                                    | 298            |

|           |                                                                                  |            |
|-----------|----------------------------------------------------------------------------------|------------|
| 11.4      | Unit commitment with plug-in vehicle integration: a case study                   | 302        |
| 11.4.1    | Problem formulation                                                              | 303        |
| 11.4.2    | Methodology                                                                      | 304        |
| 11.4.3    | Numerical study                                                                  | 308        |
| 11.5      | Conclusion                                                                       | 313        |
|           | Symbols and abbreviations                                                        | 314        |
|           | Acknowledgements                                                                 | 315        |
|           | References                                                                       | 315        |
| <b>12</b> | <b>Multi-agent based control of smart grid</b>                                   | <b>321</b> |
|           | <i>K.T.M.U. Hemapala, S.L. Jayasinghe and A.L. Kulasekera</i>                    |            |
| 12.1      | Introduction                                                                     | 321        |
| 12.2      | What is MAS and its functionality                                                | 322        |
| 12.3      | Advantages of MAS                                                                | 323        |
| 12.4      | Multi-agent systems and applications                                             | 324        |
| 12.4.1    | Power system restoration                                                         | 324        |
| 12.4.2    | Electricity trading                                                              | 325        |
| 12.4.3    | Optimization                                                                     | 327        |
| 12.4.4    | Smart-grid control                                                               | 329        |
| 12.5      | Case studies                                                                     | 331        |
| 12.5.1    | MAS in a microgrid                                                               | 331        |
| 12.5.2    | Application of MAS in smart-grid transmission/generation                         | 338        |
| 12.6      | Conclusions                                                                      | 342        |
|           | References                                                                       | 343        |
| <b>13</b> | <b>Compressive sensing for smart-grid security and reliability</b>               | <b>347</b> |
|           | <i>Mohammad Babakmehr, Marcelo Godoy Simões and Ahmed Al-Durra</i>               |            |
| 13.1      | Introduction                                                                     | 347        |
| 13.2      | Mathematical modeling of a compressive sensing<br>or sparse recovery problem     | 349        |
| 13.2.1    | Sparse modeling                                                                  | 351        |
| 13.2.2    | Sparse-recovery problem                                                          | 353        |
| 13.3      | Applications of CS–SR in smart grid                                              | 357        |
| 13.3.1    | Power network model: a sparse interconnected graph                               | 358        |
| 13.3.2    | DC power-flow model and weighted Laplacian<br>matrix of PN                       | 360        |
| 13.4      | Sparse recovery-based power line outage identification<br>in smart grid          | 362        |
| 13.4.1    | POI-SRP formulations                                                             | 362        |
| 13.4.2    | Measurement matrix structure and its properties<br>in POI-SRP                    | 366        |
| 13.4.3    | Addressing high coherence by support selection<br>modification: BLOOMP algorithm | 369        |
| 13.4.4    | Case studies and discussion                                                      | 369        |

|        |                                                                                             |     |
|--------|---------------------------------------------------------------------------------------------|-----|
| 13.5   | Sparse recovery-based smart-grid topology identification                                    | 375 |
| 13.5.1 | Sparse setup of topology identification problem                                             | 376 |
| 13.5.2 | Case studies and discussion                                                                 | 380 |
| 13.6   | Modeling and analyzing the dynamic behavior of transmission lines using structured sparsity | 384 |
| 13.6.1 | Line parameters dynamical modeling                                                          | 386 |
| 13.6.2 | Structured sparse LPDM                                                                      | 391 |
| 13.6.3 | Case studies                                                                                | 395 |
| 13.7   | Conclusions                                                                                 | 398 |
|        | Acknowledgements                                                                            | 399 |
|        | References                                                                                  | 399 |

## 14 Stability enhancement issues of power grid 405

*Srinivasa Rao Kamala*

|        |                                                                                                       |     |
|--------|-------------------------------------------------------------------------------------------------------|-----|
| 14.1   | Introduction                                                                                          | 405 |
| 14.2   | Power-flow control in transmission system                                                             | 408 |
| 14.2.1 | Stability enhancement with shunt and series compensation                                              | 409 |
| 14.2.2 | Transmission system without compensation                                                              | 409 |
| 14.2.3 | Transmission system with shunt compensation                                                           | 410 |
| 14.2.4 | Transmission system with series compensation                                                          | 411 |
| 14.2.5 | Power transfer capability enhancement with shunt compensation                                         | 411 |
| 14.2.6 | Power transfer capability enhancement with series compensation                                        | 413 |
| 14.3   | Classification of FACTS controllers                                                                   | 414 |
| 14.3.1 | Shunt controllers                                                                                     | 415 |
| 14.3.2 | Series controllers                                                                                    | 424 |
| 14.3.3 | Combined FACTS controllers                                                                            | 431 |
| 14.3.4 | Summary of application of FACTS controllers                                                           | 434 |
| 14.4   | Optimal placement of FACTS controllers                                                                | 434 |
| 14.4.1 | Optimal placement of static var compensator                                                           | 435 |
| 14.4.2 | Optimal placement of thyristor-controlled series capacitor                                            | 437 |
| 14.4.3 | Total transfer capability                                                                             | 438 |
| 14.4.4 | Optimal rating of static var compensator                                                              | 440 |
| 14.4.5 | Optimal rating of thyristor-controlled series compensator                                             | 440 |
| 14.4.6 | Particle swarm optimization                                                                           | 441 |
| 14.5   | Simulation results                                                                                    | 443 |
| 14.5.1 | Optimal placement and parameter settings of SVC and TCSC in IEEE 30-bus system                        | 443 |
| 14.5.2 | Optimal placement and parameter settings of SVC and TCSC in the New England 16-machine, 68-bus system | 446 |
| 14.6   | Conclusions                                                                                           | 448 |
|        | References                                                                                            | 449 |

|                                                                                                |                |
|------------------------------------------------------------------------------------------------|----------------|
| <b>15 Security analysis of smart grid</b>                                                      | <b>451</b>     |
| <i>Charalambos Konstantinou and Michail Maniatakos</i>                                         |                |
| 15.1 Introduction                                                                              | 451            |
| 15.2 Nature of threats                                                                         | 454            |
| 15.3 Attacking the smart grid                                                                  | 456            |
| 15.3.1 Operation layer                                                                         | 458            |
| 15.3.2 Network layer                                                                           | 460            |
| 15.3.3 Software layer                                                                          | 463            |
| 15.3.4 Hardware layer                                                                          | 465            |
| 15.4 Smart-grid security enhancement                                                           | 467            |
| 15.4.1 Policies and standards                                                                  | 468            |
| 15.4.2 Multilayer protection for smart grid                                                    | 469            |
| 15.4.3 Security assessment environment                                                         | 473            |
| 15.5 Case study                                                                                | 474            |
| 15.6 Future cyber security considerations                                                      | 480            |
| 15.7 Conclusions                                                                               | 481            |
| Appendix—Glossary                                                                              | 482            |
| References                                                                                     | 483            |
| <br><b>16 Smart grid security policies and regulations</b>                                     | <br><b>489</b> |
| <i>Robert Czechowski</i>                                                                       |                |
| 16.1 Introduction                                                                              | 489            |
| 16.1.1 The development of information and communication technology in electrical power systems | 490            |
| 16.1.2 Participants, roles, and functions of SPG                                               | 491            |
| 16.1.3 Structure, models, and dynamics of SPG                                                  | 493            |
| 16.2 Smart grids—security management                                                           | 496            |
| 16.2.1 Security of power system operator                                                       | 497            |
| 16.2.2 Security of distribution systems                                                        | 499            |
| 16.2.3 Security of smart metering networks                                                     | 502            |
| 16.2.4 Consumer security                                                                       | 505            |
| 16.3 Sources and classification of threats                                                     | 507            |
| 16.3.1 Sources of threats                                                                      | 508            |
| 16.3.2 Motives behind attacks                                                                  | 510            |
| 16.3.3 Scale and scope of action                                                               | 511            |
| 16.3.4 Cyberterrorism                                                                          | 513            |
| 16.3.5 Blackouts and backbone network failures                                                 | 517            |
| 16.4 Regulations and future of smart power grids                                               | 519            |
| 16.5 Conclusions                                                                               | 521            |
| Acknowledgments                                                                                | 522            |
| References                                                                                     | 522            |
| <br><b>Index</b>                                                                               | <br><b>529</b> |