

---

# Contents

---

Preface to Volumes 1 and 2	xvii
Volume 1 Editor Biographies	xix
List of Authors	xxiii
List of Reviewers	xxv
<b>Part I Real aperture array radar</b>	<b>1</b>
<b>Introduction to real aperture array radar</b>	<b>3</b>
<i>Ulrich Nickel</i>	
Reference	5
<b>1 Target parameter estimation and array features</b>	<b>7</b>
<i>Ulrich Nickel</i>	
Abstract	7
1.1 Introduction	7
1.2 Basic concepts and results of array antennas	9
1.2.1 Plane wave at single frequency	10
1.2.2 Band-limited signals	11
1.2.3 Narrowband and broadband beamforming	12
1.2.4 Difference beamforming and monopulse estimation	13
1.3 Design factors for arrays	15
1.3.1 Influence of element patterns	20
1.3.2 Thinned arrays	20
1.3.3 Arrays with sub-arrays	22
1.3.4 Space-time arrays	31
1.4 Array accuracy requirements	32
1.4.1 IQ-de-modulation errors	32
1.4.2 Bandpass filter errors	35
1.4.3 AD-converter limitation	36
1.5 Antenna pattern shaping	37
1.6 Adaptive interference suppression	40
1.6.1 Adaptive beamforming principles	40
1.6.2 Estimation of adaptive weights	46
1.6.3 Determination of the dimension of jammer sub-space (dimJSS)	51
1.6.4 Other aspects of implementation	53

1.7	Parameter estimation and super-resolution	57
1.7.1	Maximum likelihood estimation and monopulse	57
1.7.2	Super-resolution	59
1.7.3	Super-resolution applied to sub-arrays	65
1.7.4	Super-resolution combined with adaptive interference suppression	66
1.7.5	Adaptive target number determination	66
1.8	Extension to space-time arrays	69
1.9	Embedding of array processing into full radar data processing	70
1.9.1	Adaptive monopulse	70
1.9.2	Adaptive detection	76
1.9.3	Adaptive tracking	83
1.10	Conclusions and final remarks	88
	Acknowledgements	90
	List of symbols and functions	91
	List of acronyms	92
	References	93
<b>2</b>	<b>Robust direct data domain processing for MTI</b>	<b>99</b>
	<i>Diego Cristallini, Wolfram Bürger and Richard Klemm</i>	
	Abstract	99
2.1	Introduction	100
2.2	Notation and signal model	102
2.3	Robust D <sup>3</sup> -STAP	105
2.3.1	RD <sup>3</sup> -STAP with dimension reducing transformations	107
2.4	Results of RD <sup>3</sup> -STAP	111
2.4.1	Simulative case study	111
2.4.2	Application of RD <sup>3</sup> -STAP filter to real data	113
2.5	Applications of RD <sup>3</sup> -STAP	119
2.5.1	RD <sup>3</sup> -STAP filter in the SAR-GMTI case	119
2.5.2	Target DOA estimation with RD <sup>3</sup> -STAP	127
2.6	Conclusions	131
2.7	Glossary	131
	References	132
<b>3</b>	<b>Array radar resource management</b>	<b>135</b>
	<i>Alexander Charlish and Fotios Katsilieris</i>	
	Abstract	135
3.1	Management architecture	135
3.2	Task management	137
3.2.1	Search management	137
3.2.2	Confirmation management	148
3.2.3	Track management	149

3.3	Priority assignment	159
3.3.1	Rule-based assignment	159
3.3.2	Fuzzy logic	160
3.4	Scheduling	161
3.4.1	Queue schedulers	161
3.4.2	Frame-based schedulers	162
3.4.3	Comparison of schedulers	162
3.5	Summary	165
	Glossary	166
	References	166
	<b>Part II Imaging radar</b>	<b>173</b>
	<b>Introduction to imaging radar</b>	<b>175</b>
	<i>Christoph H. Gierull</i>	
	Onset	175
	Twentieth century	175
	Twenty-first century	176
	Outlook	180
	Acknowledgement	181
	References	181
	<b>4 VideoSAR imaging for real-time persistent surveillance</b>	<b>183</b>
	<i>Anthony Damini, Richard W. Linderman and Dennis Fitzgerald</i>	
	Abstract	183
4.1	Introduction	184
4.2	VideoSAR imaging	186
4.2.1	Image formation theory	186
4.2.2	Back-projection for VideoSAR image formation	189
4.2.3	Non-coherent integration of back-projected images	192
4.2.4	Image ambiguities	196
4.2.5	Autofocus considerations	198
4.3	Change detection	199
4.3.1	Background	199
4.3.2	Amplitude change detection	202
4.3.3	Coherent change detection	202
4.4	Real-time VideoSAR implementation	211
4.4.1	Challenges mapping core VideoSAR algorithms onto GPGPUs	212
4.4.2	System overview	214
4.4.3	High-speed data acquisition	214
4.4.4	High-performance computer	215
4.4.5	SAR image formation software	216
4.4.6	VideoSAR visualization	217

4.4.7	Image compression and scaling	217
4.4.8	VideoSAR GUI	217
4.5	Summary and outlook	219
	List of acronyms and abbreviations	220
	References	220
<b>5</b>	<b>High-resolution wide-swath SAR</b>	<b>223</b>
	<i>Ishuwa Sikaneta and Delphine Cerutti-Maori</i>	
	Abstract	223
5.1	Introduction	224
5.1.1	The swath-resolution trade-off	224
5.1.2	Approaches to improving the swath to resolution ratio	225
5.1.3	Outline of the chapter	226
5.2	Under-sampled SAR signals	227
5.2.1	Note on notation	228
5.2.2	The multi-channel signal as a superposition of vectors	229
5.2.3	Uniform spatial sampling	230
5.2.4	Uniform spatial sampling with an across-track baseline for a narrowband system	232
5.2.5	Uniform spatial sampling with an across-track baseline for a wideband system	233
5.2.6	Non-uniform spatial sampling	233
5.2.7	Section summary	236
5.3	SAR signal model	237
5.3.1	Scene measurement through multiple antenna patterns	238
5.3.2	Demodulation	239
5.3.3	Space-based SAR – orbital motion	239
5.3.4	Relation between the look vector and the velocity vector	243
5.3.5	Stationary phase solution	244
5.3.6	SAR processing with adequate sampling	245
5.3.7	Narrowband approximation	246
5.3.8	Section summary	249
5.4	Multi-channel processing for HRWS	249
5.4.1	Matrix-vector model for the aliased signal	249
5.4.2	A cost function for HRWS processing	250
5.4.3	Section summary	253
5.5	Multiple channels from sub-arrays	254
5.5.1	Uniform phased-array antenna configuration	255
5.5.2	Uniform phased-array for yaw-steered systems with no moving targets	255
5.5.3	Simulation	256
5.5.4	Example of HRWS data and signal processing	256
5.5.5	Section summary	258
5.6	Chapter summary	258
5.A.1	Simplification of the signal model for narrowband systems	259

5.A.2 Minimization of the cost function	261
References	261
<b>6 SAR interferometry</b>	<b>265</b>
<i>Andrea Monti-Guarnieri, Fabio Rocca and Stefano Tebaldini</i>	
Abstract	265
6.1 Introduction	265
6.2 InSAR generalities	266
6.3 Digital elevation models (DEM) from the interferometric phase	268
6.4 Phase unwrapping and DEM generation	270
6.5 Coherence: the temporal stability of the targets	272
6.6 Baselines, coherence and wavenumber shift	276
6.7 Co-registration	279
6.8 Terrain motion measurement through the interferometric phase	281
6.9 The atmospheric contribution to the interferometric phase	282
6.10 Other phase noise sources	285
6.11 Multipass methodologies: persistent scatterers and small baseline	287
6.12 3D displacement measurements	289
6.13 Applications of differential InSAR: land subsidence and infrastructure monitoring	290
6.13.1 Infrastructure monitoring	292
6.14 SAR tomography of penetrable media	293
6.14.1 TomoSAR imaging principles	293
6.14.2 Real data processing	296
6.14.3 Applications	297
6.14.4 Polarimetric SAR tomography	297
6.15 The future of InSAR	300
Acronyms	303
References	304
<b>7 Space-based SAR ground moving target indication</b>	<b>313</b>
<i>Christoph H. Gierull, Ishuwa Sikaneta and Delphine Cerutti-Maori</i>	
Abstract	313
7.1 Introduction	314
7.1.1 Background	314
7.1.2 Adding MTI on space-borne SAR	315
7.1.3 MODEX on RADARSAT-2	315
7.2 Classic imaged-based SAR-GMTI	317
7.2.1 SAR displaced phase centre antenna	318
7.2.2 SAR along-track interferometry	321
7.2.3 Strong non-homogeneous clutter	323
7.3 Coherent multichannel SAR-GMTI	327
7.3.1 Spatial diversity via aperture switching and toggling	327
7.3.2 Imaging STAP (iSTAP)	330

7.3.3	Extended DPCA (EDPCA)	333
7.4	Parameter estimation	335
7.4.1	Cramér–Rao bound (CRB)	335
7.4.2	Optimized CRB via time-multiplexed antenna tapering	338
7.4.3	Improved CRB using multistatic configurations	343
7.5	Wide-area SAR-GMTI	345
7.5.1	ScanSAR GMTI	346
7.5.2	HRWS-GMTI	348
7.6	Conclusions and outlook	355
	References	357
<b>8</b>	<b>Interferometric and tomographic SAR</b>	<b>361</b>
	<i>Gianfranco Fornaro and Antonio Pauciullo</i>	
	Abstract	361
8.1	Introduction	361
8.2	SAR interferometry	364
8.2.1	Basic concepts	364
8.2.2	Decorrelation of radar echoes	370
8.2.3	Differential interferometry	373
8.3	Multi-pass differential interferometry	375
8.3.1	Coherent stacking interferometry	377
8.3.2	Persistent scatterers interferometry	382
8.3.3	The two-step A-DInSAR approach	384
8.4	SAR tomography	385
8.5	Multi-dimensional tomography imaging methods	389
8.5.1	Beamforming	389
8.5.2	Singular value decomposition	391
8.5.3	Capon filter	393
8.5.4	Compressed sensing	394
8.5.5	Detection of concentrated scatterers	395
8.5.6	Further aspects on multi-look processing of interferometric SAR data	398
	Acknowledgements	402
	References	402
<b>9</b>	<b>Bi- and monostatic SAR-GMTI</b>	<b>407</b>
	<i>Ingo Walterscheid, Diego Cristallini and Robert Kohlleppel</i>	
	Abstract	407
9.1	Introduction	407
9.2	Geometry for joint monostatic and bistatic SAR-GMTI	410
9.3	Detection and localization performances	411
9.4	Association of monostatic and bistatic detections	416
9.4.1	Direct association in densely populated target scenarios	417
9.4.2	Association by target tracking	419
9.4.3	Simulation results	420

9.5	Joint monostatic and bistatic SAR-GMTI	424
9.6	Experimental results	425
9.6.1	Moving target detection	427
9.6.2	Imaging	432
9.7	Conclusions	435
	Appendix A: Data synchronization	436
	Glossary	439
	References	440
<b>10</b>	<b>Multistatic and MIMO ISAR techniques</b>	<b>445</b>
	<i>Debora Pastina and Marta Bucciarelli</i>	
	Abstract	445
10.1	Introduction	446
10.2	Distributed ISAR system	449
10.2.1	DISAR geometry and concept	449
10.2.2	MIMO ISAR formations configuration	454
10.3	Distributed ISAR point spread function	456
10.3.1	Theoretical DISAR PSF	456
10.3.2	Theoretical performance analysis	460
10.3.3	Experimental validation	464
10.4	Distributed ISAR images formation	467
10.4.1	DISAR focusing techniques	467
10.4.2	Theoretical performance analysis	470
10.4.3	Experimental validation	477
10.5	Motion estimation based on distributed ISAR data	480
10.6	Conclusion	482
	Acknowledgements	483
	Glossary	483
	References	484
<b>11</b>	<b>Focussing moving objects using the VSAR algorithm</b>	<b>489</b>
	<i>Luke Rosenberg, Mark Sletten and Jakov Toporkov</i>	
	Abstract	489
11.1	Introduction	489
11.2	VSAR processing	491
11.2.1	Focussing with a moving target	491
11.2.2	Velocity SAR	494
11.2.3	VSAR limitations	496
11.3	Ground-based demonstration with the NRL FOPAIR system	497
11.3.1	The NRL FOPAIR system	497
11.3.2	Emulating an MSAR system	497
11.3.3	VSAR demonstration using FOPAIR	499
11.4	Airborne demonstration with the NRL MSAR system	501
11.4.1	NRL MSAR system	501
11.4.2	Pre-processing	503

11.4.3 Example dataset 1	505
11.4.4 Example dataset 2	509
11.5 Applications of velocity processing	511
11.5.1 Target detection	511
11.5.2 Velocity ISAR	512
11.6 Conclusion	513
Acknowledgements	513
Appendix A: Derivation of Doppler components	513
References	514
<b>Part III Passive and multistatic radar</b>	<b>517</b>
<b>Introduction to passive and multistatic radar</b>	<b>519</b>
<i>Pierfrancesco Lombardo</i>	
References	526
<b>12 Bistatic clutter modelling</b>	<b>535</b>
<i>Hugh Griffiths and Riccardo Palamà</i>	
Abstract	535
12.1 Radar clutter	535
12.2 Clutter models	537
12.2.1 Mean reflectivity	537
12.2.2 Clutter statistics	538
12.3 Bistatic clutter models	539
12.3.1 Bistatic geometry	539
12.3.2 Bistatic sea clutter	540
12.3.3 Bistatic land clutter	544
12.3.4 Statistical properties of bistatic clutter	546
12.3.5 Clutter in passive bistatic radar	548
12.4 Forward scatter	549
12.4.1 Target echo signal and clutter	549
12.4.2 Experimental measurements	551
12.5 Bistatic clutter measurements	552
12.5.1 Practical considerations in bistatic radar trials	552
12.5.2 Clutter spikes	557
12.6 Summary	558
Acknowledgements	558
References	559
<b>13 Forward scatter radar</b>	<b>563</b>
<i>Marina Gashinova, Liam Daniel, Alexander Myakinkov and Mikhail Cherniakov</i>	
Abstract	563
13.1 Introduction	563
13.2 Radar topology and electromagnetic wave scattering mechanism	564

13.2.1	Monostatic, bistatic and forward scatter radar topology	564
13.2.2	Forward scatter cross-section	567
13.2.3	Target FSCS pattern	573
13.3	Power budget, signature of moving target and optimal signal processing in FSR	578
13.3.1	Power budget analysis	578
13.3.2	Target signature in FSR	585
13.3.3	Optimal signal processing in FSR	591
13.4	Clutter in FSR	598
13.4.1	Vegetation clutter	599
13.4.2	Sea clutter	600
13.5	Air target tracking in CW FSR	601
13.5.1	Target resolution in forward scatter radar	601
13.5.2	FSCS and coverage when tracking air target	603
13.5.3	Mathematical model of measuring process. Maximum likelihood estimation of trajectory parameters	605
13.5.4	Potential accuracy of trajectory parameters measurement	607
13.5.5	Iterative algorithm of co-ordinate estimation	610
13.5.6	Experimental tracking results	612
	List of abbreviations	613
	References	614

## **14 Radar imaging of building interiors** 621

*Fauzia Ahmad and Moeness G. Amin*

	Abstract	621
14.1	Introduction	621
14.2	Beamforming for imaging stationary indoor scenes	624
14.2.1	Data-independent beamforming	625
14.2.2	Compensation of wall propagation effects	626
14.3	SAR imaging using attributed scattering centre features for characterization of building interior structure	629
14.3.1	Canonical scattering models	630
14.3.2	Feature extraction	632
14.3.3	Illustrative example	635
14.4	Correlogram-based pattern matching for building feature extraction	638
14.4.1	Illustrative example	639
14.5	Building feature extraction using overcomplete dictionaries	642
14.5.1	OCD design	643
14.5.2	Atom definition	643
14.5.3	Illustrative example	647
14.6	Conclusion	651
	List of acronyms	652
	References	653

<b>15 Short-range passive radar potentialities</b>	<b>661</b>
<i>Fabiola Colone</i>	
Abstract	661
15.1 Introduction	661
15.2 Maritime surveillance applications	665
15.2.1 Signal processing scheme and its peculiarities	666
15.2.2 Experimental results against small RCS targets	671
15.3 Vehicular traffic monitoring	678
15.3.1 Vehicles detection using different illuminators of opportunity	678
15.3.2 Target localization based on a network of passive sensors	687
15.4 Indoor surveillance applications	695
15.4.1 Experimental results for indoor target detection and localization	696
15.4.2 Resolution improvement via ISAR techniques	699
15.5 Steps toward target classification: cross-range profiling of targets	702
15.6 Conclusions	708
Acknowledgements	709
List of acronyms	710
References	711
<b>16 GNSS-based passive radar</b>	<b>719</b>
<i>Michail Antoniou and Mikhail Cherniakov</i>	
Abstract	719
16.1 Introduction	720
16.2 Monostatic, bistatic and GNSS-based SAR	721
16.2.1 Monostatic SAR	721
16.2.2 Bistatic SAR	722
16.2.3 GNSS-based SAR	724
16.3 GNSS overview	725
16.3.1 GNSS signals	725
16.3.2 GNSS signal power	728
16.4 GNSS-based SAR power budget	729
16.5 Spatial resolution	732
16.6 GNSS-based SAR signal processing	737
16.6.1 Signal synchronization	737
16.6.2 Image formation	743
16.7 Experimental results	746
16.7.1 Fixed receiver	746
16.7.2 Airborne receiver	746
16.8 GNSS-based SAR potential for advanced techniques	751
16.8.1 Coherent change detection	751
16.8.2 Multi-perspective imaging	754
16.8.3 Multistatic imaging for spatial resolution improvement	758

16.9 Summary	761
Acknowledgements	762
List of Acronyms	762
References	763
<b>17 Airborne passive radar</b>	<b>767</b>
<i>Krzysztof Kulpa, Damian Gromek and Bartek Dawidowicz</i>	
Abstract	767
17.1 Airborne passive synthetic aperture radar	768
17.1.1 Signal dynamic range considerations	776
17.1.2 Range and cross-range resolution in airborne passive SAR	778
17.1.3 Airborne passive SAR experiments	779
17.1.4 APSAR conclusions	783
17.2 Target detection in airborne passive radar	784
17.2.1 Monostatic case	788
17.2.2 Received signal model	790
17.2.3 Estimation of the multichannel passive radar parameters	791
17.2.4 Time datacube	793
17.2.5 Target detection in passive airborne radar	795
17.2.6 Clutter cancellation in airborne passive radar	796
17.2.7 Measurement campaigns	799
17.2.8 Airborne passive radar conclusions	809
References	809
<b>18 Multi-illuminator and multistatic passive radar</b>	<b>821</b>
<i>Heiner Kuschel, Fabienne Hoffmann and Alexander Schroeder</i>	
Abstract	821
18.1 Introduction	821
18.1.1 Multistatic PCL configurations	822
18.1.2 Multi-band PCL systems with spectrally orthogonal illuminators	822
18.2 Passive radar processing for sensors using FM broadcast transmitters	823
18.2.1 Illuminator properties	823
18.2.2 Direct signal suppression	824
18.3 Passive radar processing using digital broadcast transmissions	826
18.3.1 Illuminator properties	826
18.3.2 Single versus multi-frequency networks	827
18.3.3 Signal reconstruction	827
18.4 A hybrid passive radar processing concept	829
18.5 A multi-illuminator passive radar system	832
18.6 Multistatic, multi-illuminator passive radar applications	837
18.6.1 A multistatic PCL cluster for low-level target gap coverage	837

18.6.2	A passive radar based warning sensor network for aviation obstacles	842
18.7	Perspectives for multistatic multi-illuminator PCL systems	844
	List of acronyms	847
	References	848
<b>19</b>	<b>Passive MIMO radar networks</b>	<b>851</b>
	<i>Daniel E. Hack, Lee K. Patton and Braham Himed</i>	
	Abstract	851
19.1	Introduction	851
19.2	Signal models	856
19.2.1	Passive MIMO radar	856
19.2.2	Active MIMO radar	859
19.2.3	Passive source localization	859
19.3	Centralized GLRT detection	860
19.3.1	Passive MIMO radar	860
19.3.2	Active MIMO radar	864
19.3.3	Passive source localization	864
19.3.4	Detector comparisons	864
19.3.5	Probability distributions	865
19.4	Detection sensitivity	867
19.4.1	Simulation scenario	867
19.4.2	Dependence on reference and surveillance SNR	867
19.4.3	Dependence on signal length	869
19.4.4	Discussion	870
19.5	Detection ambiguity	872
19.5.1	Dependence on waveform ambiguity	872
19.5.2	Simulation scenario	874
19.5.3	AMR ambiguity	874
19.5.4	PSL ambiguity	875
19.5.5	PMR ambiguity	878
19.6	Conclusion	880
	References	881
<b>Index</b>		<b>885</b>

---

# Contents

---

Preface to Volumes 1 and 2	xv
Volume 2 Editor Biographies	xvii
List of authors	xxi
List of reviewers	xxiii
<b>Part I Waveform diversity and cognitive radar</b>	<b>1</b>
<b>Introduction to waveform diversity and cognitive radar</b>	<b>3</b>
<i>Hugh Griffiths</i>	
1 Introduction	3
2 Waveform diversity	3
3 From adaptivity to cognition	4
4 The spectrum problem	5
4.1 Spectrally clean waveforms	7
4.2 Waveforms with dynamically variable spectral nulls	9
4.3 Passive radar	9
4.4 Intelligent, cognitive processing	12
4.5 Regulatory approaches	13
5 Bistatic, multistatic and networked radar	13
5.1 Origins and properties	13
5.2 Passive radar	14
6 Structure of Part I of Volume 2	16
Acknowledgements	18
References	18
<b>1 Radar emission spectrum engineering</b>	<b>23</b>
<i>Shannon D. Blunt, John Jakabosky and Christopher Allen</i>	
Abstract	23
1.1 Introduction	23
1.2 Polyphase-coded FM	26
1.2.1 PCFM implementation	27
1.2.2 PCFM optimization	32
1.2.3 Optimizing physical radar emissions	37
1.2.4 Further expansion of design freedom	39

1.3	LINC-optimized waveforms	42
1.4	Spectrally shaped optimization	45
1.4.1	Ultra low sidelobe emissions	45
1.4.2	Non-recurrent nonlinear FMCW emissions	49
1.4.3	Hopped spectral gaps	51
1.5	Conclusions	55
	References	56
<b>2</b>	<b>Adaptive OFDM waveform design for spatio-temporal-sparsity exploited STAP radar</b>	<b>61</b>
	<i>Satyabrata Sen</i>	
	Abstract	61
2.1	Introduction	62
2.1.1	Notations	65
2.2	Sparse-measurement model	65
2.2.1	OFDM signal model	66
2.2.2	Sparse measurement model	67
2.2.3	Statistical assumptions	69
2.3	STAP filter design	70
2.4	Optimal waveform design	71
2.5	Numerical results	73
2.5.1	Sparsity-based STAP performance	74
2.5.2	Performance improvement due to adaptive waveform design	78
2.6	Conclusions	80
	Acknowledgements	80
	References	81
<b>3</b>	<b>Cognitive waveform design for spectral coexistence</b>	<b>87</b>
	<i>A. Aubry, A. De Maio, A. Farina and M. Piezzo</i>	
	Abstract	87
3.1	Introduction	87
3.2	System model and problem formulation	91
3.2.1	Code design optimization problem	92
3.2.2	Cognitive spectrum awareness	93
3.2.3	Feasibility issues	94
3.3	Signal-independent interference scenario	96
3.4	Signal-dependent interference scenario	99
3.5	Conclusions	102
3.6	Appendix	103
3.6.1	Feasibility of P	103
3.6.2	Waveform design algorithm for signal-independent scenario	108
3.6.3	Waveform design algorithm for signal-dependent scenario	111
	References	114

<b>4 Noise Radar Technology</b>	<b>119</b>
<i>Krzysztof S. Kulpa and Lukasz Maslikowski</i>	
Abstract	119
4.1 Introduction	119
4.1.1 Signal processing in noise radars	124
4.2 Clutter and direct signal cancellation	136
4.2.1 Noise radar range equation	137
4.2.2 Ground clutter cancellation	139
4.3 MIMO noise radars	142
4.3.1 Signal model	143
4.3.2 Beamforming and antenna pattern	144
4.3.3 Adaptive beamforming	146
4.3.4 Virtual Nyquist array	146
4.3.5 Benefit of MIMO	147
4.3.6 Experimental results	149
4.3.7 Conclusions	150
References	151
<b>5 Cognitive radar management</b>	<b>157</b>
<i>Alexander Charlish and Folker Hoffmann</i>	
Abstract	157
5.1 Cognitive radar architecture	157
5.2 Effective QoS-based resources management	159
5.2.1 QoS resource allocation problem	159
5.2.2 QoS resource management problem	164
5.2.3 Quality of service algorithms	167
5.2.4 Performance models	170
5.2.5 QoS radar management example	173
5.3 Stochastic control	176
5.3.1 Partially observable Markov decision process	177
5.3.2 Approximate solutions	179
5.3.3 Anticipative target tracking	183
5.4 Summary	189
Abbreviations	189
References	190
<b>6 Clutter diversity</b>	<b>195</b>
<i>Hugh Griffiths and Riccardo Palamà</i>	
Abstract	195
6.1 Introduction	195
6.2 Diversity in target signatures	197
6.2.1 Introduction	197
6.2.2 Multistatic scattering from maritime targets	199
6.2.3 Multistatic scattering from aircraft and drones	202
6.2.4 Forward scatter	203
6.2.5 Summary	206

6.3	Radar target detection	207
6.3.1	Introduction	207
6.3.2	Multistatic detection algorithms	208
6.4	Conclusion	211
	Acknowledgements	213
	References	213
<b>7</b>	<b>Biologically inspired processing of target echoes</b>	<b>215</b>
	<i>Alessio Balleri, Krasin Georgiev, Andy Stove, Hugh Griffiths, Chris Baker and Marc Holderied</i>	
	Abstract	215
7.1	Introduction	215
7.1.1	Detection and identification of stationary targets – flowers	216
7.1.2	Detection and identification of moving targets – insects	217
7.1.3	Comparison between radar, sonar and biological systems	218
7.2	The need for a receiver model	218
7.3	Description of the spectrogram correlation and transformation model	219
7.3.1	Cochlear block	220
7.3.2	Temporal block	221
7.3.3	Spectral block	221
7.4	Baseband equivalent of the spectrogram transformation	222
7.5	Experimental setup to compare BSCT and SCAT	226
7.5.1	Data collection and digitization	226
7.5.2	Targets and echo	226
7.5.3	Data processing	227
7.6	Results	227
7.7	Conclusion	229
	References	230
<b>8</b>	<b>The concept of the intelligent radar network</b>	<b>233</b>
	<i>Hugh Griffiths</i>	
	Abstract	233
8.1	Introduction	233
8.2	Towards networks and diversity	234
8.2.1	Bistatic and multistatic radar	234
8.2.2	Sensors as robots	236
8.3	Resource management	237
8.3.1	Examples of networked radar	237
8.3.2	Biologically inspired approaches to resource management	239
8.4	Communications between platforms	240
8.4.1	Fixed and mobile nodes	240
8.4.2	Synchronized rendezvous	241
8.5	Geolocation and synchronization	243
8.5.1	NetRAD	244

8.5.2	Atomic clock oscillators	246
8.5.3	GPS-denied environments	246
8.5.4	White rabbit timing protocol	247
8.5.5	Multistatic mobile platforms	249
8.6	Summary	249
	Acknowledgements	249
	References	249
<b>Part II</b>	<b>Target tracking and data fusion</b>	<b>253</b>
	<b>Introductory remarks on tracking- and fusion-driven radar systems technology</b>	<b>255</b>
	<i>Wolfgang Koch</i>	
	References	261
<b>9</b>	<b>Posterior Cramér–Rao bounds for target tracking</b>	<b>263</b>
	<i>Marcel Hernandez, Alfonso Farina and Branko Ristic</i>	
	Abstract	263
9.1	Introduction	263
9.2	Literature review	265
9.3	Bayesian performance bounds	268
9.3.1	Discrete time estimation	268
9.3.2	General class of lower bounds	268
9.4	Posterior Cramér–Rao bound for non-linear filtering	270
9.4.1	General recursion	270
9.4.2	Calculating the constituent matrices	271
9.4.3	Simplifications – Linear models and Gaussian noise	272
9.5	Posterior Cramér–Rao bounds for non-linear filtering in cluttered environments	273
9.5.1	Target generated measurements and false alarms	273
9.5.2	Information reduction factor bound	274
9.5.3	Measurement sequence conditioning bound	277
9.5.4	Measurement existence sequence conditioning bound	278
9.5.5	Relationships between the performance bounds	279
9.6	Simulations	280
9.6.1	Scenario specification	280
9.6.2	Tracking methodology	281
9.6.3	Quantifying the performance of the tracker	282
9.6.4	Calculating the posterior Cramér–Rao bounds	284
9.6.5	Simulation results	286
9.7	Further development of posterior Cramér–Rao bounds	291
9.7.1	Improvements in computational efficiency	291
9.7.2	Passive coherent location networks	292
9.7.3	Image fusion	294

9.7.4	Data assimilation for meteorology/oceanography	294
9.7.5	Simultaneous localization and mapping	295
9.7.6	Quantum estimation	295
9.8	Summary	295
	Acknowledgement	296
	References	296
<b>10</b>	<b>Tracking and fusion in log-spherical state space with application to collision avoidance and kinematic ranging</b>	<b>303</b>
	<i>Dietrich Fränken</i>	
	Abstract	303
10.1	Introduction	303
10.2	Log-spherical coordinates	304
10.3	Tracking with angular-only measurements	306
10.3.1	Filter principles	307
10.3.2	Filter update	308
10.3.3	Filter propagation/prediction	309
10.3.4	Filter initialization	311
10.3.5	Performance bounds and observability	316
10.4	Collision avoidance	320
10.4.1	Sensor tracking	321
10.4.2	Track fusion	323
10.4.3	Performance bounds	325
10.5	Kinematic ranging	325
10.5.1	Propagation/prediction	325
10.5.2	Sample scenario	327
10.5.3	Observer trajectory planning	329
10.6	Summary	330
	Glossary	331
	Acronyms	331
	References	331
<b>11</b>	<b>Multistatic tracking for passive radar applications</b>	<b>335</b>
	<i>Martina Brötje and Wolfgang Koch</i>	
	Abstract	335
11.1	Introduction	335
11.2	Measurement model	337
11.2.1	Modelling of the bistatic measurement accuracy	338
11.3	General methodology for target tracking	339
11.3.1	Estimation task	340
11.3.2	Association task	343
11.4	Principle of multiple hypothesis tracking	348
11.4.1	Single-target tracks	349
11.4.2	Track extraction and track termination	350
11.4.3	Evaluation of multi-target/multi-sensor hypotheses	350

11.5	Multi-sensor fusion strategies	351
11.6	Simulation study	355
11.6.1	Tracking results for scenario with frequency diversity	356
11.6.2	Tracking results for scenario with single-frequency property	360
11.7	Application to GSM passive radar	360
11.7.1	Receiver and data processing	362
11.7.2	Scenario description	365
11.7.3	Performance analysis on real data	365
11.7.4	Tracking results	367
11.8	Summary	369
	References	370
<b>12</b>	<b>Radar-based ground surveillance</b>	<b>373</b>
	<i>Felix Opitz</i>	
	Abstract	373
12.1	Introduction	373
12.2	Radar systems in ground surveillance	374
12.2.1	Radar platforms	374
12.2.2	Radar systems	375
12.3	Co-ordinate systems for ground surveillance	378
12.3.1	WGS 84 ellipsoid	378
12.3.2	Object co-ordinate systems – WGS 84 and ECEF	379
12.3.3	Platform-centric system – ENU	380
12.3.4	Sensor co-ordinate system – range, azimuth and Doppler	381
12.4	Environment models	381
12.4.1	Road maps	381
12.4.2	Digital elevation models	383
12.5	Tracking in ground surveillance	384
12.5.1	Filtering with GMTI measurements	386
12.6	Further topics in radar tracking	391
12.6.1	On–off road tracking	391
12.6.2	Tracking with multiple platforms	391
12.6.3	Group tracking	394
12.7	Information fusion and sensor management	394
12.7.1	Multi-sensor data fusion and sensor management	394
12.7.2	Traffic flow, areas, corridors and routes	395
12.7.3	Radar-based classification	395
12.7.4	Transponder systems	395
12.7.5	Electro-optical and IR sensors	396
12.7.6	Network-centric sources	396
12.8	Conclusion	397
	Acknowledgements	398
	Abbreviations	398
	References	399

<b>13 Radar multi-platform system for air surveillance</b>	<b>405</b>
<i>Hervé Fargetton</i>	
Abstract	405
13.1 Introduction	405
13.2 Role and objective	406
13.2.1 Civil domain	406
13.2.2 Military domain	407
13.3 Theoretical gains of multi-platform approach	408
13.3.1 Gains due to frequency and waveform diversity	409
13.3.2 Multi-radar improvements due to the diversity of viewpoints	410
13.4 Multi-platform architecture	414
13.4.1 Operational high data rate networks	414
13.4.2 Choices of data fusion	414
13.4.3 Evolution of multi-platform architectures	417
13.5 Description of the upgraded multi-platform architecture	419
13.6 Examples of western multi-platform systems	421
13.6.1 Preliminary study for French Navy	422
13.7 Next challenges	425
Acronyms	425
References	426
<b>14 People tracking and data fusion for UWB radar applications</b>	<b>429</b>
<i>Snezhana Jovanoska, Felix Govaers and Reiner Thomä</i>	
Abstract	429
14.1 Introduction	429
14.2 UWB sensing	431
14.2.1 UWB sensor	432
14.2.2 Distributed UWB sensor network	434
14.3 Person-detection principle	435
14.3.1 Moving target echo separation	436
14.3.2 Range estimation	437
14.4 Person localization principle	440
14.4.1 Range-based localization of a single target	441
14.4.2 Multiple-sensor fusion	442
14.4.3 Tracking principle	444
14.4.4 Multiple-target–multiple-sensor two-step localization approach	447
14.4.5 Multiple-target–multiple-sensor direct localization approach	449
14.4.6 Method comparison and experimental results	450
14.5 Conclusion and future work	453
References	453

<b>15 Sensor management for radar networks</b>	<b>457</b>
<i>Alexander Charlish and Roaldje Nadjasngar</i>	
Abstract	457
15.1 Radar networks	457
15.2 Information fusion and management architectures	458
15.2.1 Data fusion with monostatic radars	458
15.2.2 Coordinated monostatic radars	459
15.2.3 Multistatic radars	460
15.3 Radar measurement scheduling	460
15.3.1 Problem formulation	460
15.3.2 Scheduling time horizon	461
15.3.3 Optimization criteria	462
15.3.4 Simulations	469
15.4 Networked quality of service management	475
15.4.1 Management algorithms and network configurations	475
15.4.2 Multi-resource QoS problem	478
15.4.3 Performance model	480
15.4.4 Simulations	481
15.5 Summary	484
Abbreviations	485
References	486
<b>Index</b>	<b>489</b>