
Contents

About the editors	xv
Preface	xvii
PART I Access Network	1
1 Network densification	3
<i>Van Minh Nguyen</i>	
Abstract	3
1.1 Introduction	3
1.2 Modeling methodology	4
1.2.1 Pathloss modeling	5
1.2.2 Channel power modeling	7
1.2.3 Network modeling	8
1.2.4 User association modeling	9
1.2.5 Notation	10
1.3 User performance scaling laws	10
1.4 Network performance scaling laws	18
1.5 Network ordering	19
1.6 Summary	20
Appendix A	22
A.1 Regular variation	22
A.2 Stochastic ordering	22
References	23
2 Massive and network MIMO	25
<i>Yunfei Chen</i>	
2.1 Introduction	25
2.2 Benefits of massive MIMO	27
2.2.1 Point-to-point MIMO	27
2.2.2 Massive MIMO	28
2.3 Techniques in massive MIMO	31
2.3.1 Channel estimation in uplink	32
2.3.2 Detection in uplink	33
2.3.3 Precoding in downlink	36
2.4 Issues in massive MIMO	37
2.4.1 Pilot contamination	38

2.4.2	Channel reciprocity	40
2.4.3	Favorable propagation	40
2.5	Network MIMO	41
2.6	Conclusion	44
	References	44
3	The role of massive MIMO in 5G access networks: potentials, challenges, and solutions	47
	<i>Nassar Ksairi, Marco Maso, and Beatrice Tomasi</i>	
	Abstract	47
3.1	Introduction	48
3.2	The role of MIMO techniques in access networks	49
3.2.1	Multiuser MIMO	49
3.2.2	From MU MIMO to massive (MU) MIMO	52
3.2.3	Benefits and potentials of massive MIMO	53
3.2.4	System level implications	55
3.3	CSI acquisition for massive MIMO	55
3.3.1	CSI acquisition with channel reciprocity: massive MIMO for TDD cellular systems	56
3.3.2	CSI acquisition without channel reciprocity: massive MIMO for frequency-division duplexing (FDD) cellular systems	68
	References	75
4	Towards a service-oriented dynamic TDD for 5G networks	79
	<i>Rudraksh Shrivastava, Konstantinos Samdanis, and David Grace</i>	
4.1	Introduction	80
4.2	Enabling technologies for the emerging 5G TDD systems	81
4.3	TD-LTE state of the art	82
4.3.1	Overview of TD-LTE	82
4.3.2	Dynamic TDD	84
4.4	TD-LTE virtual cells	86
4.5	Network virtualization and multitenancy in 5G TDD networks	88
4.5.1	A flexible FDD/TDD coexistence in a multitenant environment	89
4.5.2	5G TDD network slicing	91
4.6	Conclusions	93
	References	94
5	Traffic aware scheduling for interference mitigation in cognitive femtocells	97
	<i>Ghazanfar Ali Safdar</i>	
5.1	Introduction	97

5.2	Traffic aware scheduling algorithm (SA)	100
5.2.1	SA cross-tier interference mitigation	101
5.2.2	SA co-tier interference mitigation	102
5.3	System model	104
5.4	Fading modelling	104
5.4.1	Claussen fading	104
5.4.2	Multi-path fading	106
5.5	Performance analysis	107
5.5.1	Cross-tier interference mitigation (no fading)	107
5.5.2	Cross-tier interference mitigation (with fading)	109
5.5.3	Co-tier interference mitigation	114
5.6	Summary	115
	References	116
6	5G radio access for the Tactile Internet	119
	<i>M. Simsek, A. Aijaz, M. Dohler, and G. Fettweis</i>	
	Abstract	119
6.1	Introduction	119
6.2	Architecture and requirements	120
6.3	5G Radio access network	123
6.4	Tactile Internet design challenges	124
6.5	Addressing Tactile Internet RAN design challenges	125
6.5.1	Reliability	125
6.5.2	Latency	129
6.5.3	Edge intelligence	130
6.5.4	Radio resource management	132
6.6	Conclusion	134
	References	134
7	Fronthauling for 5G and beyond	139
	<i>Anvar Tukmanov, Maria A. Lema, Ian Mings, Massimo Condoluci, Toktam Mahmoodi, Zaid Al-Daher, and Mischa Dohler</i>	
7.1	RAN functional split options	142
7.1.1	Splitting RAN air interface protocols	142
7.1.2	PDCCP-RLC split	144
7.1.3	RLC-MAC split	145
7.1.4	Split MAC	145
7.1.5	MAC-PHY split	146
7.1.6	PHY split: FEC performed at CU	146
7.1.7	PHY split: modulation performed at CU	147
7.2	Radio access network technologies, architecture and backhaul options	147
7.2.1	Modern network architecture	147

7.2.2	5G technologies and use cases	151
7.2.3	Practical backhaul technologies	155
7.3	Current fronthaul solutions	156
7.3.1	CPRI in C-RAN	156
7.3.2	CPRI compression	157
7.3.3	Fronthaul or midhaul over ethernet	157
7.3.4	C-RAN integration in 5G: feasibility discussion	158
7.4	Market direction and real-world RAN split examples	160
7.4.1	Mobile backhaul	160
7.4.2	Centralised or Cloud RAN	160
7.4.3	Forward view to 5G	163
7.4.4	Industry 5G fronthaul initiatives	163
7.4.5	Split MAC trials	164
7.5	Conclusion	166
	References	166
8	Interference management and resource allocation in backhaul/access networks	169
	<i>L. Zhang, E. Pateromichelakis, and A. Qudus</i>	
	Abstract	169
8.1	Introduction	170
8.2	Optimal cooperative cluster size	171
8.2.1	System model	171
8.2.2	Desired signal and interference power	176
8.2.3	Cluster size optimization	178
8.2.4	Discussion on backhaul load	181
8.2.5	Ergodic sum-rate and optimization formulation	181
8.2.6	Simulation results	182
8.3	Joint routing and backhaul scheduling	186
8.3.1	System model	186
8.3.2	Problem formulation	189
8.3.3	Simulation results	191
8.4	Evaluation of the joint backhaul and access link design	192
8.5	Conclusions	195
	Acknowledgements	197
	References	197
PART II	Fronthaul Networks	201
9	Self-organised fronthauling for 5G and beyond	203
	<i>Mona Jaber, Muhammad Ali Imran, and Anvar Tukmanov</i>	
9.1	Introduction	203
9.2	Merits of fronthauling	206
9.2.1	Capital expenditures	206

9.2.2	Operational expenditures	206
9.2.3	How is C-RAN not DAS?	207
9.3	Fronthaul solutions	207
9.3.1	Wired solutions	208
9.3.2	Wireless solutions	212
9.4	The dark side of fronthauling	215
9.4.1	Capital expenditures	215
9.4.2	Operational expenditures	216
9.5	The emergence of X-haul	217
9.5.1	Functional split	217
9.5.2	Which X-haul level to choose?	219
9.6	Solving the X-haul challenge with SON	223
9.6.1	Why SON for the fronthaul?	223
9.6.2	State-of-the-art SON for the X-haul	224
9.7	Challenges of SON in the fronthaul	226
	Acknowledgements	226
	References	227
10	NFV and SDN for fronthaul-based systems	231
	<i>Maria A. Lema, Massimo Condoluci, Toktam Mahmoodi, Fragkiskos Sardis, and Mischa Dohler</i>	
10.1	Introduction	231
10.2	Background: NFV and SDN in research and standardisation	232
10.2.1	Network functions virtualisation (NFV)	232
10.2.2	Software Defined Networking	234
10.2.3	Standardisation activities	237
10.3	NFV: Virtualisation of C-RAN network functions	238
10.3.1	Virtualisation as a flexible C-RAN enabler	238
10.3.2	Virtualisation of the network functions	240
10.4	SDN: Towards enhanced SON	242
10.4.1	C/U-plane decoupling in the mobile network	242
10.4.2	Software defined RAN controller	242
10.4.3	Controlled network operations in C-RAN	243
10.5	Conclusions	245
	References	245
PART III	Backhaul Network	249
11	Mobile backhaul evolution: from GSM to LTE-Advanced	251
	<i>Andy Sutton</i>	
	Abstract	251
11.1	Global system for mobile communications	252
11.2	GSM network architecture	252
11.3	GSM mobile backhaul	254

11.4	Leased lines	256
11.5	Self-provide microwave backhaul	258
11.6	Planning the microwave backhaul transmission network	260
11.7	Adding IP packet data to GSM	263
11.8	Universal mobile telecommunications system	264
11.9	UMTS mobile backhaul	265
11.10	Planning the UMTS mobile backhaul network	267
11.11	High-speed packet access	270
11.12	Carrier Ethernet and pseudo-wires	270
11.13	Long-term evolution	272
11.14	LTE mobile backhaul	274
11.15	Multi-RAT and multi-operator backhaul	277
11.16	LTE-Advanced	278
11.17	LTE-A backhaul	279
11.18	Future RAN and backhaul evolution	279
11.19	Conclusion	280
	Acknowledgement	280
	Further Reading	280
12	Wired vs wireless backhaul	283
	<i>Hirley Alves and Richard Demo Souza</i>	
	Abstract	283
12.1	Introduction	283
12.1.1	Promising technologies for future wireless networks	284
12.1.2	Challenges ahead	285
12.2	Backhaul networks	286
12.2.1	Wired solutions	288
12.2.2	Wireless solutions	293
12.3	Conclusion	300
	References	302
13	Spectral coexistence for next generation wireless backhaul networks	307
	<i>Shree Krishna Sharma, Eva Lagunas, Christos Tsinos, Sina Maleki, Symeon Chatzinotas, and Björn Ottersten</i>	
13.1	Introduction	308
13.2	Research trends in wireless backhaul	309
13.3	Hybrid satellite-terrestrial backhaul	311
13.3.1	Scenarios	311
13.3.2	Benefits and challenges of HSTB	314
13.4	Spectrum sharing in wireless backhaul networks	315
13.4.1	Spectrum awareness techniques	315
13.4.2	Spectrum exploitation techniques	317

13.5	Case studies	321
13.5.1	FSS-FS coexistence in the forward Link (17.7–19.7 GHz)	321
13.5.2	FSS-FS coexistence in the return link (27.5–29.5 GHz)	324
13.5.3	Satellite-terrestrial backhaul coexistence	326
13.6	Future recommendations	329
13.7	Conclusions	330
	Acknowledgments	331
	References	331
14	Control data separation and its implications on backhaul networks	337
	<i>Abdelrahim Mohamed, Oluwakayode Onireti, and Muhammad Imran</i>	
	Abstract	337
14.1	Introduction	337
14.2	RAN design in legacy standards	338
14.2.1	Always-on design	340
14.2.2	Worst-case design	341
14.2.3	Distributed management design	343
14.3	5G RAN with control/data separation	344
14.3.1	On-demand always-available design	345
14.3.2	Adaptive design	345
14.3.3	Almost centralised management design	346
14.4	Main challenge: backhaul networks	346
14.4.1	Impact of separation schemes on data plane backhaul latency	347
14.4.2	Impact of backhaul technology on energy efficiency	355
14.4.3	Alternative backhaul mechanisms	356
14.5	Conclusion	356
	Appendix A: Proof of lemma 14.1	357
	References	358
15	Backhaul relaxation through caching	363
	<i>Keivan Bahmani, Antonios Argyriou, and Melike Erol-Kantarci</i>	
15.1	Background on content caching	364
15.2	Caching in 5G wireless systems	369
15.2.1	Caching in 5G HetNets	369
15.2.2	QoE-aware caching & 5G HetNet configuration	371
15.2.3	Caching in D2D 5G systems	374
15.3	Energy efficiency and caching in 5G systems	375
15.3.1	SER	376
15.3.2	PCONT	377
15.3.3	PREL	378
15.4	Summary	380
	References	381

PART IV System Integration and Case Studies 387

16 SDN and edge computing: key enablers toward the 5G evolution 389

Ali Hussein, Ola Salman, Sarah Abdallah, Imad Elhaji, Ali Chehab, and Ayman Kayssi

Abstract	389
16.1 Introduction (mobile network evolution toward 5G)	390
16.2 5G enabling technologies	392
16.2.1 Software-defined networking and network function virtualization	392
16.2.2 Cloud and edge computing	393
16.3 5G characteristics, challenges, and solutions	395
16.3.1 5G requirements/challenges	395
16.3.2 Proposed solutions	396
16.4 Literature review	398
16.4.1 SDN and NFV based 5G architectures	398
16.4.2 Edge/cloud-based 5G architecture	405
16.5 Proposed architecture	408
16.6 Discussion	412
16.7 Conclusion	413
Acknowledgment	414
References	414

17 Low latency optical back- and front-hauling for 5G 419

Pandelis Kourtessis, Milos Milosavljevic, and Matthew Robinson

Abstract	419
17.1 Introduction	420
17.1.1 Key-enabling technologies and services	422
17.2 CPRI over Ethernet mobile fronthauling	425
17.3 QoE for video services	428
17.4 CDN and local caching	431
17.5 Software-enabled passive optical networks	434
17.6 Enabling SDN-based high performance heterogeneous access networks	436
17.7 Network implementation	442
17.7.1 SDN-enabled SAT>IP delivery	443
17.7.2 Real video transmission	450
17.8 Network optimisation for SDN-enabled video delivery	454
17.8.1 Video QoE feedback transmitter	454
17.8.2 Video QoE reception by the SDN application	455
17.8.3 Network optimisation using an SDN application	455
17.8.4 FlowVisor network slicing	456
17.9 LTE open-air interface	456
17.10 Conclusions	456

Acknowledgement	458
References	458
18 Fronthaul and backhaul integration (Crosshaul) for 5G mobile transport networks	461
<i>Xavier Costa-Perez, Antonia Paolicelli, Antonio de la Oliva, Fabio Cavaliere, Thomas Deiß, Xi Li, and Alain Mourad</i>	
18.1 Motivation and use cases for fronthaul and backhaul integration	461
18.1.1 Motivation	461
18.1.2 Use cases	462
18.2 Architectural solutions and components	468
18.3 5G-Crosshaul architecture	469
18.3.1 Overview	469
18.3.2 Main components	471
18.4 Common framing and switching elements	474
18.5 Control infrastructure	480
18.5.1 XCI high-level architecture	480
18.5.2 XCI SDN controller	481
18.5.3 Deployment models of XCI	483
18.6 Enabled applications	483
18.6.1 Resource management application (RMA)	484
18.6.2 Multi-tenancy application	484
18.6.3 Energy management and monitoring application	486
18.6.4 Mobility management application	488
18.6.5 Content delivery network management application	489
18.7 Standardization for the 5G-integrated fronthaul and backhaul	490
Acknowledgement	492
References	492
19 Device-to-device communication for 5G	495
<i>Rafay Iqbal Ansari, Syed Ali Hassan, and Chrysostomos Chrysostomou</i>	
Abstract	495
19.1 Introduction	496
19.1.1 Classification of D2D networks	496
19.1.2 D2D network topologies	497
19.2 Resource management	498
19.3 Interference management	499
19.3.1 Interference management (underlay D2D)	500
19.3.2 Interference management (overlay D2D)	501
19.4 Network discovery and proximity services	501
19.4.1 Network discovery	501
19.4.2 Proximity services	502

19.5	Network security and trust	504
19.6	Network coding	506
19.7	Emerging aspects in D2D	507
19.7.1	Millimetre wave (mmWave)	507
19.7.2	Pricing and incentives	508
19.7.3	Energy harvesting and SWIPT	510
19.8	Conclusion	511
	References	512
20	Coordinated multi-point for future networks: field trial results	517
	<i>Selcuk Basso, Mohamed Aziz, and Muhammad A. Imran</i>	
	Abstract	517
20.1	Introduction	518
20.2	Motivation and benefits of CoMP – operator perspective	519
20.3	What is CoMP and standardisation roadmap	519
20.3.1	What is CoMP?	519
20.3.2	Standardisation roadmap	520
20.3.3	Types of CoMP	521
20.3.4	Challenges of CoMP	522
20.4	Operational requirements	525
20.5	Uplink CoMP field trial for LTE-A	526
20.5.1	Uplink CoMP introduction	526
20.5.2	UL CoMP in trial area	527
20.5.3	Trial performance results	527
20.6	Evolution into 5G	533
20.6.1	CoMP for improved spectral efficiency in 5G	533
20.6.2	CoMP and backhaul bandwidth challenge in 5G	534
20.6.3	CoMP for energy efficient 5G networks	534
20.6.4	CoMP for cost effective load-aware 5G network	535
20.7	Conclusions	535
	References	536
	Index	541